


**SERIES 2 NATURAL GAS FIRED BOILERS**

- WATER (30 PSI MAX) • PLUG-IN CONNECTION • 1 1/4" IRON BODY PUMP WITH PIPING TO BOILER • PRESSURE TEMPERATURE GAUGE
- CIRCULATOR RELAY • BUILT-IN AIR ELIMINATOR • TRANSFORMER & JUNCTION BOX • UNIVERSAL STAINLESS STEEL BURNERS
- FLAME ROLL-OUT SWITCH • 100% SHUT-OFF COMBINATION STEP OPENING GAS VALVE • 30# ASME SAFETY RELIEF VALVE
- BLOCKED VENT SWITCH • LIFETIME PRO-RATED WARRANTY TO THE ORIGINAL OWNER

Boiler No.	AGA/CGA Input MBH	DOE Htg. Cap. MBH	AFUE % Vent Damper EI	Vent Size	"B" (Width)	Aprx Ship Wgt Lbs
204E	103	87	84	5"	16"	292
205E	138	116	84	6"	19"	341
206E	172	145	84	6"	22"	390
207E	207	174	84	7"	25"	449

NATURAL GAS TO L.P. GAS CONVERSION KIT AVAILABLE

OTHER BURNHAM BOILERS ARE AVAILABLE. CALL US FOR INFORMATION & QUOTES.

For Prices On These Boilers, Call *Salina Supply Co.* At (785) 823-2221**Burnham****EFTU SERIES ELITE FIRE TUBE ULTRA WALL HUNG BOILERS**

- UP TO 96% AFUE • HIGH EFFICIENCY CONDENSING GAS FIRED HEATER • OUTDOOR RESET • LED DISPLAY
- MICRO PROCESSOR CONTROL SYSTEM • MODULATING BURNER -10 TO 1 TURNDOWN • 30 PSI RELIEF VALVE
- NATURAL GAS (LP GAS CONVERSION KIT INCLUDED) • ECM PRIMARY (BOILER) PUMP INCLUDED
- LIMITED 10 YEAR RESIDENTIAL WARRANTY


Boiler No.	BTU / Input Range	AFUE	Air Input/ Exhaust Vent Size	Supply & Return Pipe Size	Ship Wgt Lbs
EFTU-85 WBN	8,500 - 85,000	96%	2" OR 3"	1 1/4"	110
EFTU-110 WBN	11,000 - 110,000	95%	2" OR 3"	1 1/4"	110
EFTU-150 WBN	15,000 - 150,000	95%	2" OR 3"	1 1/4"	120
EFTU-199 WBN	19,900 - 199,000	95%	3"	1 1/4"	131

For Prices On These Boilers, Call *Salina Supply Co.* At (785) 823-2221

For More Information On These Products Or On Products Not Listed,
Call *Salina Supply Company* At (785) 823-2221


 HEATRIM
**HEATRIM HYDRONIC PERIMETER
BASEBOARD COMPLETE ASSEMBLED UNITS
& ACCESSORIES**

SSC No.	Manuf No.		Length	Wgt.	Price Each
30B 4000	RB-750-A3	COMPLETE UNIT	3'	7 LBS	\$ 63.58
30B 4010	RB-750-A4	COMPLETE UNIT	4'	9 LBS	84.77
30B 4020	RB-750-A5	COMPLETE UNIT	5'	12 LBS	105.97



WATER FLO LBS/HR	HOT WATER BTU/HR/LIN FT					
	170°	180°	190°	200°	210°	220°
2000	540	600	670	740	800	880
500	510	570	630	700	760	830

30B 4060	RA-ECR-03	3" SNAP-ON RIGHT END CAP			\$ 11.41
30B 4070	RA-ECL-03	3" SNAP-ON LEFT END CAP			11.41
30B 4080	RA-ICF-90	SNAP-ON 90° HINGED INSIDE CORNER			\$ 15.36
30B 4090	RA-OCF-90	SNAP-ON 90° HINGED OUTSIDE CORNER			23.77
30B 4100	RA-FPS-02	7" SNAP-ON PANEL DAMPER JOINER			\$ 17.35
30B 4110	RA-JPS-02	2" SNAP-ON PANEL DAMPER JOINER			6.73


 **STERLING**
HVAC PRODUCTS

For More Information On These Products Or On Products Not Listed,
Call *Salina Supply Company* At (785) 823-2221

 AIR SEPARATOR
DISCAL 551 SERIES AIR SEPARATOR

REDUCED INITIAL FILL & START-UP TIME • NO MORE VENTING • OPTIMUM HEAT TRANSFER • QUIET OPERATION
BRASS BODY • STAINLESS STEEL FLOAT GUIDE PIN & LINKAGE • GLASS REINFORCED NYLON INTERNAL ELEMENT
MAXIMUM WORKING PRESSURE: 150 PSI • WORKING TEMPERATURE RANGE: 32° TO 250° F



SSC No.	Manuf No.	Pipe Size	Flow Capacity	Wgt.	Price Each
30D 7495	551005A	3/4" NPT Female	6 GPM	4.0 LBS	\$ 200.17
30D 7500	551006A	1" NPT Female	10 GPM	4.0 LBS	\$ 216.46
30D 7505	551007A	1 1/4" NPT Female	15 GPM	4.0 LBS	\$ 316.06
30D 7510	551008A	1 1/2" NPT Female	23 GPM	5.0 LBS	409.93
30D 7511	551009A	2" NPT Female	36 GPM	5.0 LBS	\$ 476.96



Salina Supply Company

December 1, 2023


M-3

WATTS[®] WELL-X-TROL EXPANSION TANKS

SERIES ET EXPANSION TANKS

NON-POTABLE WATER TANKS FOR HOT WATER HEATING BOILERS & SYSTEMS
 • MAX TEMPERATURE 240°F • MAX PRESSURE 60 PSI • PRECHARGED AT 12 PSI • STEEL CONSTRUCTION
 • RUGGED FLEXIBLE DIAPHRAGM • 1/2" CONNECTION ON ET-15 & ET-30; 3/4" CONNECTION ON ET-90

SSC No.	Manuf No.	Tank Volume	Accept Volume	A Diameter	B Height	Wgt.	Price Each
30D 2330	ETX15	2.1 Gallons	1.0 Gallons	8"	12.5"	5 Lbs	\$ 126.06
30D 2340	ETX30	4.5 Gallons	2.5 Gallons	11"	14.0"	10 Lbs	134.50
30D 2350	ETX90	15.0 Gallons	6.0 Gallons	16"	20.8"	28 Lbs	442.52



30D 2800	AS	1" Air Scoop	125 PSI & 275° Maximum	5 Lbs	\$ 66.43
----------	-----------	---------------------	------------------------	-------	----------



FILL-TROLL EXPANSION TANKS

• FILL VALVE HAS 1/2" FPT FOR CONNECTING TO SYSTEM • STANDARD EXTROL CANNOT BE USED WITH FILL-TROLL
 • MAX WORKING PRESSURE 75 PSI • MAX OPERATING TEMPERATURE 240°F
 • UNION COUPLING FOR 1/2" SOLDER TO PIPING OR COUPLINGS NOT NEEDED

WELL-X-TROL

SSC No.	Manuf No.	Tank Volume	Accept Volume	Diameter	Length	Wgt.	Price Each
30D 2410	109	2 Gallons	.9 Gallon	8"	14 1/2"	6 Lbs	\$ 170.79
30D 2510	110	4.4 Gallons	2.4 Gallons	11"	17"	10 Lbs	197.86



EXTROL CAPACITY AT VARIOUS SYSTEM OPERATING TEMPERATURES (SYSTEM CONTENT IN GALLONS)

Extrol Tank	AVERAGE SYSTEM TEMPERATURE									Fill-Troll Tank
	120°	130°	140°	150°	160°	170°	180°	190°	200°	
15	80	65	53	45	38	33	29	25	22	109
30	177	143	118	99	84	73	64	56	50	110
50	240	193	160	134	114	99	87	76	68	111
90	564	454	376	315	269	233	204	180	160	112

30 PSI RELIEF PRESSURE
 12 PSI FILL PRESSURE
 40° TO 70° F
 FILL TEMPERATURE
 100 PSI MAXIMUM
 WORKING PRESSURE
 40° TO 240°F OPERATING
 TEMPERATURE


Sterling, Inc. CONDENSATE PUMPS

4128-G CONDENSATE PUMP

SQ. FT. 8,000 **BOILER OUTPUT** 1,920,000 BTUH **DISCH. PRESSURE** 20 PSI **PUMP CAPACITY** 12 GPM **RECIEVER CAPACITY** 15 GALLONS

Sterling, Inc.

SSC No.	Manuf No.	Hp	Boiler Output	Wgt	Price Each
30E 0001	4128-G	1/3	1,920,000 BTUH	125 Lbs	\$ 1,390.15




41215-G CONDENSATE PUMP

SQ. FT. 15,000 **BOILER OUTPUT** 3,600,000 BTUH **DISCH. PRESSURE** 20 PSI **PUMP CAPACITY** 20 GPM **RECIEVER CAPACITY** 30 GALLONS

Sterling, Inc.

SSC No.	Manuf No.	Hp	Boiler Output	Wgt	Price Each
30E 0005	41215-G	1/2	3,600,000 BTUH	200 Lbs	\$ 1,599.01



BOILERS CONTROLS CHEMICALS

M




Bell & Gossett
ITT Fluid Technology Corporation

CIRCULATOR PUMPS


BRONZE BODY CIRCULATOR PUMPS LESS FLANGES

PL SERIES 100 SERIES HV SERIES 2 SERIES NBF/NRF
• STANDARD 60 CYCLE MOTOR • BUILT-IN OVERLOAD • 1 PHASE • 115 V
BNFI INDICATES BRONZE BODY WITH NON FERROUS IMPELLER

SSC No.	Manuf No.	Hp	A	B	C	Wgt	Price Each
30D 0200	PL-30B	1/12	8 ⁵ / ₈ "	6 ³ / ₈ "	7 ¹ / ₈ "	26 Lbs	\$ 1,123.50
30D 0310	100BNFI	1/12	14 ⁷ / ₈ "	6 ³ / ₈ "	12 ³ / ₄ "	26 Lbs	1,548.75
30D 0400	PL-45B	1/6	9 ¹ / ₈ "	8 ¹ / ₂ "	7 ¹ / ₄ "	40 Lbs	\$ 1,228.50
30D 1800	PL-36B	1/6	8 ⁵ / ₈ "	6 ³ / ₈ "	7 ¹ / ₈ "	40 Lbs	1,165.50




Series PL
Permanently
Lubricated
Pumps




STAINLESS STEEL CIRCULATOR PUMP LESS FLANGE

PL SERIES 100 SERIES HV SERIES 2 SERIES NBF/NRF
• STANDARD 60 CYCLE MOTOR • BUILT-IN OVERLOAD • 1 PHASE • 115 V

SSC No.	Manuf No.	HP	A	B	C	Wgt	Price Each
30D 1920	SSF-22	92 Watt	6 ³ / ₈ "	5 ⁹ / ₁₆ "	4 ⁷ / ₈ "	9.5 Lbs	\$ 609.00





Series HV
Series 100
Series 2



IRON BODY CIRCULATOR PUMPS LESS FLANGES

PL SERIES 100 SERIES HV SERIES 2 SERIES NBF/NRF
• STANDARD 60 CYCLE MOTOR • BUILT-IN OVERLOAD • 1 PHASE • 115 V
NFI INDICATES IRON BODY WITH NON FERROUS IMPELLER

SSC No.	Manuf No.	HP	A	B	C	Wgt	Price Each
30D 0700	PL-30	1/12	8 ⁵ / ₈ "	6 ³ / ₈ "	7 ¹ / ₈ "	32 Lbs	\$ 724.50
30D 0810	100NFI	1/12	14 ⁷ / ₈ "	6 ³ / ₈ "	12 ³ / ₄ "	32 Lbs	918.75
30D 0500	PL-45	1/6	9 ¹ / ₈ "	8 ¹ / ₂ "	7 ¹ / ₄ "	40 Lbs	\$ 819.00
30D 1500	PL-36	1/6	8 ⁵ / ₈ "	6 ³ / ₈ "	7 ¹ / ₈ "	28 Lbs	735.00
30D 1510	HVNFI	1/6	15 ³ / ₈ "	8 ¹ / ₂ "	13"	28 Lbs	1,638.00
30D 1900	NRF-22	92 Watt	5 ⁹ / ₁₆ "	6 ³ / ₈ "	4 ⁷ / ₈ "	9.3 Lbs	\$ 246.75




SSF/NRF
Red Fox
Lubricated
Pumps

IRON BODY CIRCULATOR PUMPS WITH FLANGES

PL SERIES 100 SERIES HV SERIES 2 SERIES NBF/NRF
• STANDARD 60 CYCLE MOTOR • BUILT-IN OVERLOAD • 1 PHASE • 115 V
NFI INDICATES IRON BODY WITH NON FERROUS IMPELLER

SSC No.	Manuf No.	HP	A	B	C	Wgt	Price Each
30D 1200	PL-75	1/6	9 ¹⁵ / ₁₆ "	8 ¹ / ₂ "	7 ³ / ₈ "	45 Lbs	\$ 1,800.75



continued on next page

Salina Supply Company

December 1, 2023

M-4A



Bell & Gossett
ITT Fluid Technology Corporation

CIRCULATOR PUMP FLANGES & PARTS

CAST IRON FLANGE PAIR FOR PUMPS 100, NRF, PL30, PL36 & PL55

SSC No.	Manuf No.	Size	Wgt.	Price Per Pair
30D 7380	101201	3/4"	2 Lbs	\$ 22.11
30D 2100	101202	1"	2 Lbs	28.08
30D 2200	101203	1 1/4"	3 Lbs	29.12
30D 2300	101204	1 1/2"	4 Lbs	28.08



BRONZE FLANGE PAIR FOR PUMPS 100, NBF, PL30B & PL36B

SSC No.	Manuf No.	Size	Wgt.	Price Per Pair
30D 2500	101011	3/4"	2 Lbs	\$ 63.18
30D 2600	101212	1"	2 Lbs	92.82
30D 2750	101214	1 1/2"	4 Lbs	76.65



CAST IRON FLANGE PAIR FOR PUMPS HV, PL45 & PL50

SSC No.	Manuf No.	Size	Wgt.	Price Per Pair
30D 2400	101205	1"	5 Lbs	\$ 35.18
30D 2450	101206	1 1/4"		35.18
30D 2475	101207	1 1/2"		35.18



PARTS FOR HV SERIES CIRCULATOR PUMPS

Manuf No.	Part
118436-	BRASS IMPELLER
118723-	COUPLER
118681-	SEAL ASSEMBLY
P04890-	BODY GASKET
118228-	MOTOR MOUNTING RINGS
111031-	1/6 HP MOTOR
189165-	BRONZE BEARING ASSEMBLY



IMPELLER



BODY GASKET




COUPLER

For Prices &
Information On
These Parts,
Call The
**Salina Supply
Company**
Parts
Department
At
(785) 823-2221

PARTS FOR 100 SERIES CIRCULATOR PUMPS

Manuf No.	Part
118431-	BRASS IMPELLER
118705-	COUPLER
118681-	SEAL ASSEMBLY
P04080-	BODY GASKET
118223-	MOTOR MOUNTING RINGS
111034-	1/12 HP MOTOR
189034-	BRONZE BEARING ASSEMBLY
118844-	BEARING ASSEMBLY (STD/B.F.)
189132-	NORYL IMPELLER



MOTOR


OIL WELL COVER

OIL WICK


BEARING
ASSEMBLY

BEARING BRACKET


FRONT BEARING



SHAFT & SLEEVE



SEAL KIT



IMPELLER

FRONT BEARING GASKET

BODY GASKET

IMPELLER NUT

For Prices &
Information On
These Parts,
Call The
**Salina Supply
Company**
Parts
Department
At
(785) 823-2221

For More Information On These Products Or On Products Not Listed,
Call **Salina Supply Company** At (785) 823-2221

continued on next page

BOILERS CONTROLS CHEMICALS





Bell & Gossett
ITT Fluid Technology Corporation

CIRCULATOR PUMPS


RED FOX

CAST IRON CIRCULATOR PUMP

CAST IRON BODY • FLANGED INLINE • SYSTEM LUBRICATED • 1 SPEED
POLYPROPYLENE IMPELLER • CERAMIC SHAFT • CARBON BEARINGS

ITT Bell & Gossett
ITT Fluid Technology Corporation

SSC No.	Manuf No.	Size	Flange Press.	Max Wrk. Temp.	Max Oper. RPM	Motor Voltage	Wgt.	Price Each
30D 1900	NRF-22	3/4"	125 psi	230° F	2940	115 v	9.3 Lbs	\$ 246.75




RED FOX

STAINLESS STEEL CIRCULATOR PUMP

STAINLESS STEEL BODY • FLANGED INLINE • SYSTEM LUBRICATED • 1 SPEED
POLYPROPYLENE IMPELLER • CERAMIC SHAFT • CARBON BEARINGS

SSC No.	Manuf No.	Size	Flange Press.	Max Wrk. Temp.	Max Oper. RPM	Motor Voltage	Wgt.	Price Each
30D 1920	SSF-22	3/4"	150 PSI	230° F	2940	115 V	9.5 Lbs	\$ 609.00



ACCESSORIES FOR NBF & NRF PUMPS

SSC No.	Manuf No.		Price Each
30D 1940	TC-1	Timer For NBF & NRF PL Series B&G Pumps	\$ 173.25
30D 1950	AQ-1/2	1/2" Aquastat For NBF & NRF PL Series B&G Pumps	\$ 97.65
30D 1960	AQ-3/4	3/4" Aquastat For NBF & NRF PL Series B&G Pumps	70.35



CHECK-TROL™ ISOLATION FLOW CONTROL FLANGE

BRASS VALVE BODY • CHROME PLATED STEEL FLANGE • CHROME PLATED BRASS BALL

SSC No.	Manuf No.	Size	Wgt.	Price Each
30D 1962	CTF-3/4	101231 3/4" NPT x Flange	3.6 Lbs	\$ 139.65
30D 1965	CTF-1	101232 1" NPT x Flange	4.3 Lbs	173.25
30D 1970	CTF-1 1/4	101233 1 1/4" NPT x Flange	6.1 Lbs	\$ 241.50
30D 1975	CTF-1 1/2	101245 1 1/2" NPT x Flange	6.5 Lbs	252.00



FOR NBF, NRF & SSF PUMPS
150 PSI MAXIMUM WORKING PRESSURE
200° MAXIMUM TEMPERATURE


e3 ecocir

LEAD FREE BRASS CIRCULATING PUMP

100-140V • 60HZ • 5-28 WATTS • VARIABLE SPEED MOTOR CONTROL
AUTOMATIC OVERLOAD PROTECTION • LOW IN-RUSH CURRENT

SSC No.	Manuf No.	Connection	Working Temp.	Max W.P.	Price Each
30D 2315	e3-4V/BTXYZ	1/2" FNPT	203°F MAX 50°F MIN	150 PSI	\$ 526.04

30D 2305	e3-Timer	Timer For e3-4V Pump	\$ 168.00
----------	-----------------	----------------------	-----------



continued on next page

December 1, 2023

Salina Supply Company



M-4C

GRUNDFOS® CIRCULATOR PUMPS

SUPER BRUTE ¹/₂₅ HP 3 SPEED CAST IRON CIRCULATOR PUMP

FOR CLOSED SYSTEM • LESS FLANGE • 3 SPEED • 115 V • 2 POLE, SINGLE PHASE
230° MAX TEMPERATURE • 36° MIN TEMPERATURE • 145 PSI MAX SYSTEM PRESSURE


SSC No.	Manuf No.	HP	Watts	Amps	A	B	C	D	Wgt Lbs	Price Each
30D 7350	UPS15-58FC	¹ / ₂₅	87	0.75	5 ¹ / ₄ "	4"	4 ³ / ₁₆ "	3 ¹ / ₄ "	7.25	\$ 229.32



SUPER BRUTE ¹/₆ HP 3 SPEED CAST IRON CIRCULATOR PUMP

FOR CLOSED SYSTEM • LESS FLANGE • 3 SPEED • 115 V • 2 POLE, SINGLE PHASE
230° MAX TEMPERATURE • 36° MIN TEMPERATURE • 145 PSI MAX SYSTEM PRESSURE



SSC No.	Manuf No.	HP	Watts	Amps	A	B	C	D	Wgt Lbs	Price Each
30D 7345	UPS26-99FC	¹ / ₆	197	1.80	6"	4 ⁷ / ₈ "	3 ¹ / ₂ "	3 ⁷ / ₁₆ "	11.25	\$ 630.63



SUPER BRUTE .04 HP 3 SPEED STAINLESS STEEL CIRCULATOR PUMP

FOR CLOSED & OPEN SYSTEMS • LESS FLANGE • 115 V • 230° MAX TEMPERATURE
145 PSI MAX WORKING PRESSURE • CAPACITOR: 10MF/180V


SSC No.	Manuf No.	HP	Watts	Amps	Speed	Wgt Lbs	Price Each
30D 7360	UP15-35SFC	.04	110	0.95	3	6.00	\$ 763.64



SUPER BRUTE .04 HP 1 SPEED STAINLESS STEEL CIRCULATOR PUMP

FOR CLOSED & OPEN SYSTEMS • LESS FLANGE • 115 V • 230° MAX TEMPERATURE
145 PSI MAX WORKING PRESSURE • CAPACITOR: 10MF/180V

SSC No.	Manuf No.	HP	Watts	Amps	Speed	Wgt Lbs	Price Each
30D 7365	UP15-29SF	.04	87	0.75	1	6.00	\$ 541.20




TIMER ASSEMBLY KIT FOR UP15 GRUNDFOS PUMPS

SSC No.	Manuf No.	Quik-Connects	Price Each
30D 7400	599388	¹ / ₄ " 24 Hour Programmable	\$ 152.12



CAST IRON PUMP FLANGE SET FOR CIRCULATOR PUMPS

SSC No.	Manuf No.	Size	Price Each
30D 7380	519601	³ / ₄ " Threaded Connection Ends	\$ 22.11



continued on next page

WATTS[®] REDUCING VALVES & AIR VENTS
BRONZE PRE-ADJUSTABLE BOILER AUTOMATIC BOILER FILL VALVE

AUTOMATIC FAST FILL • CALIBRATED DIAL ACCURATELY SETS SYSTEM PRESSURE BEFORE OR DURING INSTALLATION
 ANTI-SCALE • INLET FILTER • CHECK VALVE • MANUAL SHUT OFF VALVE • GAUGE PORT FOR OPTIONAL PRESSURE GAUGE
 PRESSURE SETTING RANGE 3-60PSI • MAX. INLET PRESSURE 230PSI • MAX. WORKING TEMPERATURE 150°F

SSC No.	Manuf No.	Size	Factory Press Set	Ship Wgt.	Price Each
30D 2912	553542A	1/2"	15 PSI	2 Lbs	\$ 133.15

**BRONZE DIAL SET FEED WATER PRESSURE REGULATOR**

FEMALE THREADED NPT CONNECTIONS • TIGHT SEATING CHECK VALVE • PUSH BUTTON FAST FILL WITH AUTO-STOP
 STAINLESS STEEL STRAINER • 8 TO 21 PSI ADJUSTABLE REDUCED PRESSURE RANGE WITH 25 PSI AUTO-STOP FAST FILL
 MAXIMUM WORKING PRESSURE 100 PSI • MAXIMUM OPERATING TEMPERATURE 212° F • HIGH CAPACITY PERFORMANCE

SSC No.	Manuf No.	Size	Factory Press Set	Ship Wgt.	Price Each
30D 3510	BD1156F	3/4"	15 PSI	2 Lbs	\$ 206.14



For More Information On These Products Or On Products Not Listed,
 Call *Salina Supply Company* At (785) 823-2221

#7 AUTOMATIC HOT WATER AIR VENT

REMOVES AIR AUTOMATICALLY FRONT THE PIPING OF ANY TYPE OF HOT WATER HEATING SYSTEM

SSC No.	Manuf No.	Connection	Working Press.	Max. Oper. Temp.	Ship Wgt.	Price Each
30D 3310	7/FV4M1	1/8" MIPT	150 PSIG	240°F	.63 Lbs	\$ 33.38

**#67 DuoVent AUTOMATIC HOT WATER AIR VENT**

IDEAL FOR CONVECTOR, BASEBOARD & RADIANT PANEL SYSTEMS WHERE A FLOAT TYPE UNIT REQUIRED

SSC No.	Manuf No.	Connection	Working Press.	Max. Oper. Temp.	Ship Wgt.	Price Each
30D 3360	67/590719	1/8" MIPT	150 PSIG	240°F	.40 Lbs	\$ 36.56

**HAV AUTOMATIC AIR VENT VALVE**

FOR HOT WATER & LOW PRESSURE STEAM SYSTEMS • 2-PIECE CHROMED BRASS BODY

SSC No.	Manuf No.	Connection	Maximum Pressure	Price Each
30M 4860	HAV	1/8"	125 PSIG	\$ 27.91

**RADIATOR COIN AIR VALVE**

SSC No.	Manuf No.	Connection	Maximum Pressure	Price Each
30M 4710	RCKAV	1/8"	125 PSIG	\$ 2.10
30M 4910	RCKAVK	RADIATOR VENT VALVE KEY FOR RCKAV		.69



continued on next page

HOFFMAN **ITT** RADIATOR VALVES & THERMOSTATIC TRAPS

#1-A RADIATOR STEAM VENT AIR VALVE

SSC No.	Manuf No.	Connection	Maximum Pressure	Wgt	Price Each
30E 0410	1-A 401422	1/8"	10 PSI	0.4 Lbs	\$ 97.02



#40 RADIATOR STEAM VENT AIR VALVE

SSC No.	Manuf No.	Connection	Maximum Pressure	Wgt	Price Each
30E 1010	40 401440	1/8"	10 PSI	0.2 Lbs	\$ 56.23



#75 MAIN STEAM VENT AIR VALVES

SSC No.	Manuf No.	Connection	Maximum Pressure	Wgt	Price Each
30E 1510	75 401434	3/4" x 1/2"	15 PSI	0.9 Lbs	\$ 253.58



#76 MAIN STEAM VENT AIR VALVES

SSC No.	Manuf No.	Connection	Maximum Pressure	Wgt	Price Each
30E 1710	76 401432	3/4" x 1/2"	15 PSI VACUUM	1.1 Lbs	\$ 424.46




#79 MAIN HOT WATER VENT VALVE

SSC No.	Manuf No.	Connection	Maximum Pressure	Wgt	Price Each
30E 1860	79 401488	3/4" x 1/2"	75 PSI	1.2 Lbs	\$ 259.09





#8 MEDIUM PRESSURE THERMOSTATIC ANGLE TRAP RENEWABLE SEAT & THERMOSTAT

SSC No.	Manuf No.	Thread Size	Maximum Pressure	Wgt	Price Each
30E 2810	8 402002	1/2"	50 PSI	1.6 Lbs	\$ 314.21



#17C LOW PRESSURE THERMOSTATIC ANGLE TRAP ANGLE, SWIVEL & VERTICAL

SSC No.	Manuf No.	Thread Size	Maximum Pressure	Wgt	Price Each
30E 3160	17C 401536	1/2"	25 PSI	1.4 Lbs	\$ 170.89



#55 FLOAT & THERMOSTATIC TRAP

CAPACITIES NET RATINGS BASED ON CODE ESTABLISHED FOR LOW PRESS. TRAPS (MAX 15 PSI) BY *SHEMA* (STEAM HTG EQUIP MANUFACTURES ASSOC). CODE RATINGS PROVIDE FOR OVERLOAD CONDITIONS, SUCH AS A WARMING UP PERIOD. NO SAFETY FACTOR NEED BE APPLIED.

SSC No.	Manuf No.	Size NPT	Max PSI	CAPACITIES IN LBS OF CONDENSATE PER HR PRESSURE DIFFERENTIAL IN LBS PER SQ IN							Price Each
				1/4	1/2	1	2	5	10	15	
30E 3510	55/WFT-15	3/4"	15	70	100	140	200	210	220	230	\$ 474.08
30E 3560	55/WFT-15	1"	15	175	250	350	500	525	550	575	551.25
30E 3610	55/WFT-15	1 1/4"	15	425	600	850	1200	1260	1320	1380	733.16
30E 3660	55/WFT-15	1 1/2"	15	850	1200	1700	2400	2520	2640	2760	1,124.55



DUNHAM-BUSH

WATTS
REGULATOR

CONBRACo


THERMOSTATIC RADIATOR TRAPS

DUNHAM-BUSH

CAPACITY-EDR PRESSURE DIFFERENTIAL
STANDARD RATING 1/4 LB CONDENSATE PER EDR PER HR

SSC No.	Manuf No.	Tap	Pattern	Max PSI	1/2 LB	1 LB	1 1/2 LB	Price Each
30F 2250	1E Trap	1/2"	AP	25 PSI	120	165	200	\$ 127.27

30F 2610	C-5940	Disc Only	For Thermostatic Radiator Trap 1E					\$ 72.95
----------	---------------	------------------	--	--	--	--	--	----------



STEAM RADIATOR VALVES

MALE UNION & RENEWABLE COMPOSITION STEAM DISC

WATTS
REGULATOR

SSC No.	Manuf No.	Size	Wgt	Price Each
30G 0010	RA-1-AP	1/2"	0.9 Lbs	\$ 168.08
30G 0050	RA-1-AP	3/4"	1.0 Lbs	182.29
30G 0160	RA-1-AP	1"	1.4 Lbs	230.00
30G 0210	RA-1-AP	1 1/4"	2.0 Lbs	303.98
30G 0260	RA-1-AP	1 1/2"	3.4 Lbs	451.41



For More Information On These Products Or On Products Not Listed,
Call *Salina Supply Company* At (785) 823-2221

CAST IRON Y-PATTERN STRAINERS

WORKING PRESSURE - NON SHOCK - STEAM 250 PSI @ 406° F • WATER, OIL, GAS 400 PSI @ 100° F

WATTS
REGULATOR

SSC No.	Manuf No.	Size	Wgt	Price Each
30I 6900	77SI	1/2"	1.8 Lbs	\$ 31.84
30I 7100	77SI	3/4"	3.0 Lbs	39.67
30I 7400	77SI	1"	5.0 Lbs	56.61
30I 7700	77SI	1 1/4"	7.0 Lbs	96.92
30I 7900	77SI	1 1/2"	9.0 Lbs	93.77
30I 8100	77SI	2"	18.0 Lbs	144.36



BRASS Y STRAINER WITH TAPPED CAP

WORKING PRESSURE - NON SHOCK - STEAM 300 PSI @ 350° F • WATER, OIL, GAS 400 PSI @ 150° F

CONBRACo

SSC No.	Manuf No.	Size	Wgt	Price Each
22D 6300	59LF-003-02	1/2"	2.0 Lbs	\$ 114.28



With Self Aligning Screen



21 MAKE-UP WATER FEEDER

GENEROUSLY DESIGNED & RUGGEDLY BUILT FOR HEAVY DUTY SERVICE. CAM & ROLLER, STRAIGHT THRUST VALVE DESIGN PROVIDES DRIP TIGHT CLOSURE. THE VALVES, CONES & SEATS ARE OF STAINLESS STEEL PROTECTED BY A LARGER STRAINER. 5³/₄" BOLT CIRCLE DIAMETER. 6 BOLTS.



SSC No.	Manuf No.	Maximum Pressure Water Supply	Maximum Pressure Receiver	Wgt.	
30H 0070	21	150 PSI	35 PSI	16 Lbs	CALL FOR PRICE



42 LOW WATER CUT-OFF/ PUMP CONTROLLER

FOR RESIDENTIAL, COMMERCIAL & INDUSTRIAL LOW & MEDIUM PRESSURE STEAM BOILERS WITH SEPARATE WATER COLUMN. MONEL BELLOWS PROVIDES CORROSION RESISTANCE. SINGLE POLE, SINGLE THROW MERCURY SWITCHES ENCLOSED IN PROTECTIVE JUNCTION BOX.



SSC No.	Manuf No.	Maximum Pressure Boiler	Wgt.	
30H 0090	42	50 PSI	15.5 Lbs	CALL FOR PRICE



47 BOILER FEEDER CUT-OFF COMBINATION

MOST WIDELY USED CONTROL FOR CLOSED STEAM HEATING SYSTEM BOILERS UP TO 5,000 SQ. FT. CAPACITY. TIME SAVING QUICK HOOK-UP FITTINGS FOR INSTALLATION IN GAUGE GLASS TAPPINGS & SELF CLOSING BLOW-OFF VALVE.


SSC No.	Manuf No.	Maximum Pressure Water Supply	Maximum Pressure Boiler	Wgt.	
30H 0100	47	150 PSI	25 PSI	29 Lbs	CALL FOR PRICE
30H 2100	47-2	150 PSI	25 PSI	30 Lbs	CALL FOR PRICE



51-2 FEEDER CUT-OFF COMBINATION

LARGER FEEDING CAPACITY THAN 47-2, FOR THE NEXT LARGE GROUP OF STEAM BOILERS ABOVE 5000 SQUARE FEET CAPACITY & FOR HOT WATER BOILERS.


SSC No.	Manuf No.	Maximum Pressure Water Supply	Maximum Pressure Boiler	Wgt.	
30H 3100	51-2	150 PSI	35 PSI	39 Lbs	CALL FOR PRICE



64 LOW WATER CUT OFF

THIS LOW WATER CUT OFF PIONEERED THE USE OF LOW WATER CUT-OFFS ON HOT WATER BOILERS. HEAVY DUTY CONSTRUCTION THROUGHOUT. INSTALLED WITH 1" EQUALIZING PIPES. 50 PSI MAXIMUM BOILER PRESSURE.

SSC No.	Manuf No.	Maximum Pressure Boiler	Wgt.	
30H 4200	64	50 PSI	13 Lbs	CALL FOR PRICE



For More Information On These Products Or On Products Not Listed,
Call *Salina Supply Company* At (785) 823-2221

continued on next page




McDonnell & Miller
ITT Fluid Technology Corporation

67 LOW WATER CUT OFF

MOST WIDELY USED CONTROL OF ITS KIND. DEPENDABLY INTERRUPTS THE CURRENT TO BURNER WHEN WATER LEVEL FALLS INTO THE DANGER ZONE. 20 PSI MAXIMUM STEAM PRESSURE.


SSC No.	Manuf No.	Maximum Pressure Steam	Wgt.	
30H 4600	67	20 PSI	11 Lbs	CALL FOR PRICE



69 LOW WATER CUT OFF

FOR INSTALLATION IN 2 1/2" TAPPINGS. THE SELF CLEANING ACTION USES CIRCULATION OF BOILER WATER TO THE FLUSH FLOAT SHIELD & CHAMBER. 20 PSI MAXIMUM STEAM PRESSURE.


SSC No.	Manuf No.	Maximum Pressure Steam	Wgt.	
30H 6100	69	20 PSI	5 Lbs	CALL FOR PRICE



101-24 ELECTRIC WATER FEEDER

PACKLESS CONSTRUCTION, STRAIGHT THRUST VALVE ACTION. FEEDER CLOSURES DRIP TIGHT AFTER OPERATING. BUILT-IN STRAINER. MAXIMUM BOILER SIZE IS 5000 SQUARE FEET OF STEAM. 25 PSI MAXIMUM BOILER PRESSURE & 150 PSI MAXIMUM WATER PRESSURE. 24 VOLT.


SSC No.	Manuf No.	Maximum Pressure Water Supply	Maximum Pressure Boiler	Wgt.	
30H 6700	101-24	150 PSI	25 PSI	8 Lbs	CALL FOR PRICE



PUMP CONTROL LOW WATER CUT OFF & ALARM SWITCH

PACKLESS CONSTRUCTION UTILIZES EXTRA HEAVY SYPHON BELLOWS. MERCURY TUBE SWITCHES. USEFUL ON MANY HIGHER PRESSURE HOT WATER SPACE HEATING BOILERS.

SSC No.	Manuf No.	Maximum Pressure Boiler	Wgt.	
30H 7100	150S	150 PSI	31 Lbs	CALL FOR PRICE



For More Information On These Products Or On Products Not Listed,
Call *Salina Supply Company* At (785) 823-2221

PADDLE TYPE LIQUID FLOW SWITCH

THIS IS AN ECONOMICAL & POSITIVE WAY TO START OR STOP VARIOUS TYPES OF ELECTRICALLY OPERATED EQUIPMENT. THE SWITCH SERVES A WIDE VARIETY OF APPLICATIONS WHEREVER IT IS IMPORTANT TO KNOW WHEN FLOW OR NO FLOW OCCURS. FOR USE ON 1" TO 6" DIAMETER PIPE. NEMA 1 ENCLOSURE.

SSC No.	Manuf No.	Maximum Pressure Boiler	Wgt.	Price Each
30H 8000	FS4-3/FS-200-W	160 PSI	1.9 Lbs	\$ 445.20



Salina Supply Company

December 1, 2023

M-9



GAUGES

TRADE LINE PRESSURE GAUGES

FOR GENERAL SERVICE CONDITIONS ON AIR OIL, WATER, GAS, OR OTHER MEDIUMS THAT DO NOT ATTACK BRASS. BLACK DRAWN STEEL CASE. 1/4" NPT LOWER CONNECTION. ACCURACY GRADE B-2% MID SCALE.



SSC No.	Manuf No.	Price Each	
2" DIAL			
30K 0010	TL20P-015-4L	15 LB	\$ 19.13
30K 0020	TL20P-030-4L	30 LB	19.13
30K 0030	TL20P-060-4L	60 LB	19.13
30K 0040	TL20P-100-4L	100 LB	19.13
30K 0050	TL20P-160-4L	160 LB	19.13
30K 0060	TL20P-200-4L	200 LB	19.13



2 1/2" DIAL			
30K 0070	TL25P-015-4L	15 LB	\$ 22.32
30K 0090	TL25P-060-4L	60 LB	22.32
30K 0110	TL25P-160-4L	160 LB	22.32
30K 0120	TL25P-200-4L	200 LB	22.32
30K 0130	TL25P-300-4L	300 LB	22.32
30K 0140	TL25P-400-4L	400 LB	22.32
30K 0150	TL25P-600-4L	600 LB	22.32



SSC No.	Manuf No.	Price Each	
3 1/2" DIAL			
30K 0160	TL35P-015-4L	15 LB	\$ 27.32
30K 0170	TL35P-030-4L	30 LB	27.32
30K 0200	TL35P-160-4L	160 LB	27.32
30K 0210	TL35P-200-4L	200 LB	27.32
30K 0230	TL35P-400-4L	400 LB	27.32



4" DIAL			
30K 0185	TL40-060-4L	60 LB	\$ 27.32
30K 0220	TL40-300-4L	300 LB	27.32



For More Information On These Products Or On Products Not Listed,
Call *Salina Supply Company* At (785) 823-2221

ALTITUDE GAUGES

STEEL CASE. 1/4" NPT LOWER CONNECTION. DUAL SCALE.



SSC No.	Manuf No.	Size Of Dial	Dual Scale		Price Each
30K 0310	4CTS-030	4 1/2"	0 - 30 PSI	0' - 100' Water Head	\$ 40.26
30K 0320	4CTS-1-100-4L	4 1/2"	0 - 100 PSI	0' - 231' Water Head	40.26



VACUUM OR PRESSURE COMPOUND GAUGES

FOR GENERAL SERVICE CONDITIONS ON MEDIUMS THAT DO NOT ATTACK BRASS. WITH BLACK DRAWN STEEL CASE. 1/4" NPT LOWER CONNECTION. ACCURACY GRADE B-2% MID SCALE.



SSC No.	Manuf No.	Size Of Dial	Dual Scale		Price Each
30K 0330	TL25-V30-4L	2 1/2"	30 Lb	30"	\$ 25.50
30K 0340	TL25-V60-4L	2 1/2"	60 Lb	30"	25.50
30K 0350	TL25-V100-4L	2 1/2"	100 Lb	30"	25.50



LIQUID FILL GAUGE

TYPE 304 STAINLESS STEEL CASE WITH POLISHED STAINLESS STEEL CRIMP RING.



SSC No.	Manuf No.	Size Of Dial	Price Each
30K 0290	LF251-160-4L	2 1/2"	160 Lb \$ 36.05



continued on next page

BOILERS CONTROLS CHEMICALS





TRI-O-METERS • THERMOMETERS



TRI-O-METER - LOWER OR REAR CONNECTION

FOR USE ON ALL TYPES OF HOT WATER HEATING SYSTEMS. ONE INSTRUMENT READS WATER PRESSURE, WATER TEMPERATURE & SYSTEM HEAD IN FEET OF H₂O.



SSC No.	Manuf No.	Connection	Size Of Dial	Temperature Range	PSI & Ft. of H ₂ O	Price Each
TRI-O-METER WITH LOWER CONNECTION						
30K 0390	CTP-40-L	1/2" NPT Lower	3.6"	60° - 260° F & C	0 - 75	\$ 60.60

TRI-O-METER WITH REAR CONNECTION

30K 0400	CTP-25-RX	1/4" NPT Rear	2.7"	60° - 260° F & C	0 - 75	\$ 50.85
----------	------------------	---------------	------	------------------	--------	----------



TRADE LINE THERMOMETER - STRAIGHT OR ANGLE


SMALL PIPELINE APPLICATIONS. FIXED STEMS WITH STRAIGHT FORM. 5" SCALES. 2" STEMS WITH 1/2" NPT BRASS SOCKET. THERMOMETER COMPLETE WITH WELL.



SSC No.	Manuf No.	Type	Range	Price Each
STRAIGHT TRADE LINE THERMOMETER				
30K 0410	TL5S2-240	Straight	30° to 240° F THERMOMETER WITH WELL	\$ 39.60

ANGLE TRADE LINE THERMOMETER

30K 0420	TL5A2-240	Angle	30° to 240° F THERMOMETER WITH WELL	\$ 40.80
----------	------------------	-------	-------------------------------------	----------



VARI-ANGLE GLASS THERMOMETER

REQUIRES E35-75BS WELL SOLD SEPARATELY. ILLUSTRATION SHOWS THERMOMETER WITH WELL.



SSC No.	Manuf No.	Type	Range	Price Each
30K 0425	9VU35-240	Vari-Angle	30° to 240° F	\$ 63.30
30K 0427	E35-75BS	Well	For 9VU35-240 Thermometer	\$ 15.00




BIMETAL DIAL THERMOMETERS

MADE OF STAINLESS STEEL & HERMETICALLY SEALED TO INSURE A MOISTURE PROOF UNIT. ANGLE FORM WITH A 3" DIAL & 1/2" NPT CONNECTION.



SSC No.	Manuf No.	Stem Length	Temperature Range	Price Each
30K 0430	3BM25-300	2 1/2"	50° TO 300° F	\$ 62.40
30K 0440	3RBM4-550	4"	50° TO 550° F	62.40




SPRING TYPE STRAP-ON PIPING THERMOMETER

FOR PIPES 1/2" TO 4" • FLEXIBLE STEEL SPRING FASTENING +/- 3% ACCURACY



SSC No.	Manuf No.	Size	Temperature Range	Price Each
30K 0408	SP25BM-250	2 1/2"	-30° To 250° F	\$ 23.20



WATER PRESSURE TEST GAUGE

WITH HOSE CONNECTION • HIGH PRESSURE INDICATOR BAND



SSC No.	Manuf No.	Hose Connection	Temperature Range	Price Each
30K 0405	276H300	3/4"	40° to 140° F	\$ 71.38



continued on next page

SNUBBER • VALVES • SIPHONS

RAY CENTER BODY PRESSURE SNUBBER

ABSORBS DAMAGING SHOCKS & PULSATIONS • BRASS BODY • 3,000 MAX PSI

SSC No.	Manuf No.	Size Inlet x Outlet	Maximum PSI	Price Each
30K 0445	010B	1/4" NPT X 1/4" NPT	3,000	\$ 57.00



374A BOILER PRESSURE RELIEF VALVE

FOR HOT WATER BOILERS ONLY • IRON BODY • NON-MECHANICAL SEAT-TO-DISC ALIGNMENT WON'T STICK OR FREEZE



SSC No.	Manuf No.	Size	Maximum Pressure	Steam Dischg. Cap. BTU	Hgt	Lgth	Wgt. Lbs.	Price Each
22D 2010	374A	3/4"	30 PSI	550,000	5 ⁵ / ₈ "	3"	1.78	\$ 132.81



740A BOILER PRESSURE RELIEF VALVE

FOR HOT WATER BOILERS ONLY • IRON BODY • NON-MECHANICAL SEAT-TO-DISC ALIGNMENT WON'T STICK OR FREEZE



SSC No.	Manuf No.	Size	Maximum Pressure	Steam Dischg. Cap. BTU	Hgt	Lgth	Wgt. Lbs.	Price Each
22D 2110	740A	1" x 1 ¹ / ₄ "	30 PSI	1,300,000	7 ¹ / ₄ "	3 ¹ / ₂ "	3.18	\$ 245.57
22D 2310	740A	1 ¹ / ₄ " x 1 ¹ / ₂ "	30 PSI	2,105,000	8 ³ / ₄ "	4 ⁵ / ₈ "	6.18	\$ 846.91
22D 2510	740A	1 ¹ / ₂ " x 2"	30 PSI	2,900,000	9 ¹ / ₄ "	5 ¹ / ₄ "	7.50	1,116.23
22D 2610	740A	2" x 2 ¹ / ₂ "	30 PSI	5,250,000	11 ⁵ / ₈ "	6 ³ / ₄ "	16.5	\$ 1,514.07



SERIES 13-200 PRESSURE SAFETY VALVE

LOW PRESSURE • FOR STEAM BOILERS ONLY



SSC No.	Manuf No.	Inlet x Outlet	BTU Input	Lbs/Hour	Max PSI	Price Each
30K 0450	13-211-B15	3/4" M X 3/4" F	446,000	446	15	\$ 105.50
30K 0460	13-202-B15	1" M X 1" F	643,000	643	15	110.01
30K 0470	13-213-B15	1 ¹ / ₄ " M X 1 ¹ / ₂ " F	1,200,000	1200	15	186.41
30K 0480	13-214-B15	1 ¹ / ₂ " M X 2" F	1,900,000	1900	15	250.22



SERIES 12-200 PRESSURE SAFETY VALVE

LOW PRESSURE • FOR STEAM BOILERS ONLY




SSC No.	Manuf No.	Inlet x Outlet	BTU Input	Lbs/Hour	Max PSI	Price Each
30K 0490	12-205-08	2" M X 2" F	2,500,000	2500	15	\$ 545.27



PIGTAIL STEAM GAUGE SIPHONS - STRAIGHT OR 90° ANGLE


STEEL CONSTRUCTION • FOR USE WITH GAUGES ON STEAM LINE

SSC No.	Manuf No.	Type	Size	Price Each
30M 2860	G60-001	90° ANGLE	1/4" MPT x 1/4" MPT	\$ 9.54
30M 2910	SPSS14	STRAIGHT	1/4" MPT x 1/4" MPT	12.83




GAUGE ACCESSORIES**STANDARD OR RED LINE GAUGE GLASS**

SSC No.	Type	Size	Max Recommended Working Pressure Temperature To 150°	Steam Boiler Service To 425°	Price Each
30M 1110	Standard	5/8" x 24"	150 PSI	75 PSI	\$ 29.51
30M 1610	Red Line	5/8" x 10"	300 PSI	225 PSI	\$ 59.29
30M 1620	Red Line	5/8" x 12"	300 PSI	225 PSI	74.38
30M 1630	Red Line	5/8" x 14"	300 PSI	225 PSI	82.74

**GAUGE GLASS WASHER****E1819-00** 5/8" \$ 1.93**GAUGE GLASS RUBBER GASKETS****D-1600-00** 5/8" \$ 3.28**GAUGE GLASS NUT****C1408-06** 5/8" \$ 9.83**WATER GAUGE SET WITH GLASS & RODS**

STANDARD PATTERN BRONZE • ALUMINUM WHEEL HANDLES • TWO COPPER GUARD RODS

SSC No.	Manuf No.	Size	Price Each
30M 0310	WGZ1212 2010400	1/2" x 12" With Auto Ball Valve	\$ 138.79

**COMPRESSION GAUGE COCK**

POLISHED BRASS GAUGE COCK • COMPOSITION HANDLE • FOR CONDENSATE ONLY

SSC No.	Manuf No.	Connection	Price Each
30M 0510	26-305-28	1/2" For Up To 175 Lbs W.P.	\$ 62.29




For More Information On These Products Or On Products Not Listed,
Call *Salina Supply Company* At (785) 823-2221

THREADED AIR COCK WITH THROTTLE ADJUSTMENT

DESIGNED TO MEET ANSI Z21.15.CSA 9.1 PRESSURE REQUIREMENTS OF 1/2 PSIG

SSC No.	Manuf No.	Size	Price Each
30M 4310	55-302-01	1/4" MALE X 1/4" FEMALE	\$ 65.24



continued on next page

Salina Supply Company

December 1, 2023

M-10A

PIPE ACCESSORIES

FREEZEFREE HEATING CABLE

SSC No.	Manuf No.	Product	Price Per Foot
30L 5580	2502	FREEZEFREE 500' Bulk Cable - Priced Per Foot	\$ 2.82
SSC No.	Manuf No.	Product	Price Each
30L 5585	10803	Connection Kit Power Connection & End Sealing Of Cable	\$ 22.40
30L 5590	NPRO-50	50' Pro Pack 50' Reel • Instructions • 3 Bagged Connection Kits	235.96



Call Us At (785) 823-2221 for information about

EASYHEAT® Warm Tiles
Electric Floor Warming System

ASJ (ALL SERVICE JACKET) FIBERGLASS PIPE INSULATION

INCOMBUSTIBLE, MOISTURE RESISTANT RESILIENT GLASS FIBERS • PERM RATING 0.01 • .55 BEACH PUNCTURE • .35 LBS PER INCH TENSILE STRENGTH

SSC No.	Nominal Size	Wall Thickness	Length	Fits Pipe Size		Temp Range	Price Each
				Copper Tube Size	Steel Pipe or PVC Size		
42M 3200	1/2"	1/2"	3'	1/2" (5/8" OD)		0° to 500°	\$ 15.70
42M 3220	1/2" or 3/4"	1/2"	3'	3/4" (7/8" OD)	1/2" (.84" OD)	0° to 500°	22.84
42M 3240	3/4" or 1"	1/2"	3'	1" (1 1/8" OD)	3/4" (1.05" OD)	0° to 500°	25.88
42M 3260	1" or 1 1/4"	1/2"	3'	1 1/4" (1 3/8" OD)	1" (1.32" OD)	0° to 500°	\$ 18.39
42M 3280	1 1/4" or 1 1/2"	1/2"	3'	1 1/2" (1 5/8" OD)	1 1/4" (1.66" OD)	0° to 500°	19.60
42M 3300	1 1/2"	1/2"	3'		1 1/2" (1.90" OD)	0° to 500°	22.58
42M 3320	2"	1/2"	3'		2" (2.38" OD)	0° to 500°	\$ 35.02
42M 3340	2"	1/2"	3'	2" (2 1/8" OD)		0° to 500°	24.07
42M 3360	2 1/2"	1/2"	3'		2 1/2" (2.88" OD)	0° to 500°	37.73
42M 3380	3"	1/2"	3'	3" (3 1/8" OD)		0° to 500°	\$ 33.98
42M 3400	4"	1/2"	3'	4" (4 1/8" OD)		0° to 500°	26.65
42M 3600	5"	1/2"	3'		5" (5.56" OD)	0° to 500°	18.26
42M 3620	6"	1/2"	3'		6" (6.63" OD)	0° to 500°	30.88



42M 3690	AF990/206682	ASJ White Insulation Tape	3" x 50 Yards	\$ 49.56
----------	---------------------	----------------------------------	---------------	----------



VINYL ELECTRIC TAPE

UL LISTED • BLACK VINYL

SSC No.	Manuf No.	Size	Price Each
88G 4960	1841002	3/4" x 60'	\$ 5.50



TYPE CL2 18 GAUGE THERMOSTAT WIRE SPOOLS

SSC No.	Manuf No.	Length	Conductor	Spool Price
44C 1110	15000	500'	2	\$ 128.08
44C 1310	15003	250'	5	130.52
44C 1320	15006	250'	8	195.00



BOILERS CONTROLS CHEMICALS

M

Honeywell**AT72D1683 TRANSFORMER****Honeywell**

SSC No.	Manuf No.	Primary Voltage	Sec. Volt.	Temp. Rating	Output Power	Price Each
44A 0300	AT72D1683	120	26.5	-20°-105° F.	24 V@40 VA	\$ 36.00

AT140A1018 TRANSFORMER**Honeywell**

SSC No.	Manuf No.	Primary Voltage	Sec. Volt.	Temp. Rating	Output Power	Price Each
44A 0425	AT140A1018	120/208/240	27.0	-20°-105° F.	24 V@40 VA	\$ 27.45

L4064B FAN & LIMIT COMBINATION CONTROLLER**Honeywell**

TURNS FAN ON & OFF ACCORDING TO PLENUM TEMPERATURE



SSC No.	Manuf No.	Insertion Element	High Limit Stop	Temp. Range	Price Each
44A 1760	L4064B2210	11 1/2"	Factory Set 200° F	100° to 250° F	\$ 238.70
44A 1780	L4064B1469/2228	5"	Factory Set 200° F	100° to 250° F	\$ 220.94
44A 1785	L4064B2236	8"	Factory Set 200° F	100° to 250° F	225.20

NOTE: **L4064B1469** IS RIGID BRACKET MOUNT. **2228** IS SURFACE MOUNT.

For More Information On These Products Or On Products Not Listed,
Call *Salina Supply Company* At (785) 823-2221

RANCO**SINGLE STAGE ELECTRONIC TEMPERATURE CONTROL****RANCO**

REMOTE TEMP SENSING UP TO 400' • THERMISTOR SENSOR WITH 8' CABLE • DIFFERENTIAL RANGE 1° TO 30° F

SSC No.	Manuf No.	Input Voltage	Temperature		Price Each
44A 1965	ETC-111000-000	120/240	-30° to 220° F	SPDT	\$ 131.72
44A 1968	WEL11A601-R	1/2" CPR Bulb Well For ETC-111000-000			\$ 91.46



Honeywell

L4006 AQUASTAT CONTROLLER MANUAL RESET & HIGH LIMIT

Honeywell

SSC No.	Manuf No.	Type	Temperature	Price Each
44A 1256	L4006H1004	Surface Mount	100° to 240° F	\$ 374.50
44A 1260	L4006E1067	Immersion	130° to 270° F	374.97



L6006 AQUASTAT CONTROLLER CIRCULATOR, HIGH LIMIT OR LOW LIMIT - WELL ADAPTERS AVAILABLE

Honeywell

SSC No.	Manuf No.	Type	Temperature		Price Each
44A 1960	L6006A1145	Immersion	100° to 240° F	SPDT	\$ 228.66
44A 1980	L6006C1018	Surface	65° to 200° F	SPDT	227.04



121371 IMMERSION WELLS HEAT CONDUCTIVE COMPOUND FOR IMMERSION WELLS SOLD BELOW

Honeywell

SSC No.	Manuf No.	Size		Price Each
44A 8780	121371A	1/2"	3/8" x 3" Bulb	\$ 61.32
44A 8790	121371B	3/4"	3/8" x 3" Bulb	74.72



44A 2885	107408	HEAT CONDUCTIVE COMPOUND	4 oz Container	\$ 32.96
----------	---------------	---------------------------------	----------------	----------



L8148J AQUASTAT RELAY COMBINES HIGH LIMIT PROTECTION WITH SWITCHING RELAY CONTROL HORIZONTAL OR VERTICAL MOUNTING

SSC No.	Manuf No.	Type	Operating Range	Price Each
44A 2200	L8148J1009	Immersion	120 Volt, SPST 140° to 240° F	\$ 577.00



PA404A PRESSURETROL CONTROLLER STEAM PRESSURE HIGH LIMIT SAFETY CONTROLLER

Honeywell

SSC No.	Manuf No.	Operating Range	Max Oper. Press.	Price Each
44A 2450	PA404A1033	0.5 to 9.0 PSI	20 PSI	\$ 332.54



L4079B PRESSURETROL CONTROLLER CONTROLLER WITH MANUAL RESET LIMIT PROTECTION FOR PRESSURE SYSTEMS

Honeywell

SSC No.	Manuf No.	Operating Range	Max Oper. Press.	Temp. Rating	Price Each
44A 1254	L4079B1033	2 to 15 PSI	50 PSI Sustained	-35° to 150° F	\$ 314.03



Honeywell**Q314A PILOT BURNER**
NON PRIMARY AERATED INSERT ORIFICE**Honeywell**

SSC No.	Manuf No.			Price Each
44A 2870	Q314A4586	Nat/LP Orifice		\$ 65.07
44A 2880	Q314A6094	Nat/LP Orifice	20° Angle To Left	61.28

**Q313A REPLACEMENT THERMOPILE GENERATOR****Honeywell**

SSC No.	Manuf No.	Leads	Output		Price Each
44A 2850	Q313A1139	35"	600 to 750 mV	Push-In Clip	\$ 105.88
44A 2860	Q313A1170	35"	600 to 750 mV	PG9 Adapter	105.09

**Q340A UNIVERSAL REPLACEMENT THERMOCOUPLE****Honeywell**


SSC No.	Manuf No.	Leads	Output		Price Each
44A 2890	Q340A1066	18"	30MV	With Adapter & Push-In Clip	\$ 14.72
44A 2910	Q340A1074	24"	30MV	With Adapter & Push-In Clip	16.96
44A 2920	Q340A1082	30"	30MV	With Adapter & Push-In Clip	18.57
44A 2930	Q340A1090	36"	30MV	With Adapter & Push-In Clip	17.35
44A 2950	Q340A1108	48"	30MV	With Adapter & Push-In Clip	20.56

**392451-1 JUNCTION BLOCK ADAPTER**

CONVERT ANY HONEYWELL COMBINATION GAS CONTROL TO ECO GAS CONTROL

Honeywell

SSC No.	Manuf No.		Price Each
44A 9435	392451-1	1/4" x 1/4" Eco Adapter	\$ 57.48




For More Information On These Products Or On Products Not Listed,
Call *Salina Supply Company* At (785) 823-2221

December 1, 2023

Salina Supply Company


M-14

Honeywell**3 POLE CONTACTOR****Honeywell**

SSC No.	Manuf No.	Coil Voltage	Nominal Contact Rating	Temperature Rating	Price Each
44A 3824	DP3040C5001	208/240 V	40A@240/277/480/600 Vac	-4° - 149° F	\$ 56.42

2 POLE DEFINITE PURPOSE CONTACTORS


LOW PROFILE FOR MORE WIRING ROOM • MULTIPLE MOUNTING HOLES & SLOTS

Honeywell

SSC No.	Manuf No.	Coil Voltage	Nominal Contact Rating	Temperature Rating	Price Each
44A 4106	DP2030A5013	24 V	30A@240/277	-4° - 149° F	\$ 22.14
44A 4110	DP2030B5004	120 V	30A@240/277	-4° - 149° F	24.18

GENERAL PURPOSE RELAY

DPDT • -20°-155° F. • POLES 1-2-3-4-5-6 - POWER

Honeywell

SSC No.	Manuf No.	Coil Voltage	Temperature Rating	Price Each
44A 4060	R8222D1014	24 V	-20° - 155° F	\$ 39.48

For More Information On These Products Or On Products Not Listed,
Call *Salina Supply Company* At (785) 823-2221

CALEFFI**ZSR Z-ONE™ 2/3 ZONE PUMP TRANSFORMER RELAY**

MULTI-ZONE PUMP & BOILER OPERATING CONTROL FOR MULTIPLE ZONE HYDRONIC HEATING SYSTEMS

CALEFFI

SSC No.	Manuf No.	Transformer Voltage	Power Supply	Price Each
44A 4050	ZSR103	24 V	120 VAC 50/60HZ	\$ 295.85

Functional Devices, Inc. RIB**SPST RELAY WITH HOA-24 OR 120VAC**

ENCLOSED POWER RELAY • 20 AMP SPST-N/O + OVERRIDE WITH 24 VAC/DC/120 VAC COIL

Functional Devices, Inc. RIB

SSC No.	Manuf No.	Operating Temperature	Price Each
44A 4080	RIB2401SB	-30° to 140° F. 16" 600 V Rated Wires	\$ 71.05

BOILERS CONTROLS CHEMICALS**M**

Honeywell**T651A
LIGHT DUTY LINE VOLTAGE THERMOSTAT**
HEATING/COOLING • USE WITH Q473A,B SUBBASE**Honeywell**

SSC No.	Manuf No.	Temperature Range		Price Each
44A 4790	T651A3018	44° TO 86° F	SPDT	\$ 233.59

**T812A
HEAT ONLY THERMOSTAT**
FOR SINGLE STAGE HEATING ONLY SYSTEMS • SNAP-ACTING BIMETAL SWITCH • SPST**Honeywell**

SSC No.	Manuf No.	Temperature Range	Voltage		Price Each
44A 5160	T812A1010	50° to 90° F	24 V	Heating Only	\$ 35.54

**PRO 1000
NON-PROGRAMMABLE DIGITAL THERMOSTAT**
A/C & HEATPUMP • HEAT-OFF-COOL • FAN-AUTO-ON • BATTERY BACKUP**Honeywell**

SSC No.	Manuf No.	Heat (F)	Cool (F)	Voltage		Price Each
44A 5220	TH1110DV1009	40° to 90°	50° to 99°	24 V,750mV	1 Heat/1 Cool Stage	\$ 53.09

**FocusPRO® 6000
5-1-1/5-2 DAY PROGRAMMABLE THERMOSTAT**
LARGE 5.09 " CLEAR BACKLIT DISPLAY • BATTERY OR HARD WIRED • AUTO/MANUAL SELECTABLE
FOR 24 VAC CONVENTIONAL & HEAT PUMP SYSTEMS OR 750 mV HEATING SYSTEMS**Honeywell**

SSC No.	Manuf No.	Heat (F)	Cool (F)	Voltage		Price Each
44A 9250	TH6320U1000	40° to 90°	50° to 99°	24 V,750mV	3 Heat/2 Cool Stage	\$ 197.67

DIGITAL 5/2 PROGRAMMABLE THERMOSTAT
SINGLE STAGE • 4" LIGHTED DISPLAY • AUTO CHANGEOVER ENERGY
MANAGEMENT RECOVERY • PERMANENT MEMORY BACK-UP

SSC No.	Manuf No.	Temperature Range	Voltage		Price Each
44A 4805	W-R1F83C-11PR	45° to 90°	24 V	Single Stage	\$ 90.18

For More Information On These Products Or On Products Not Listed,
Call *Salina Supply Company* At (785) 823-2221

continued on next page

Salina Supply Company

December 1, 2023

M-15A



THERMOSTATS

LUX LV1

MECHANICAL LINE VOLTAGE THERMOSTAT

HEAT ONLY LINE VOLTAGE THERMOSTAT • SINGLE POLE 120/240 VAC • SYSTEMS UP TO 22 AMPS • EASY TO INSTALL FOR BASEBOARD, CEILING CABLE & OTHER RADIANT HEAT • REPLACES ALMOST ANY SINGLE POLE MODEL



SSC No.	Manuf No.		Heat	Price Each
44A 4800	LV1	For 120/240 VAC To 22A	50° - 90° F 1 Stage	\$ 43.03

LUXPRO® P621U

5/1/1 PROGRAMMABLE UNIVERSAL THERMOSTAT

SEPARATE PROGRAMS FOR WEEKDAYS & WEEKENDS • BATTERIES INCLUDED • LARGE LIGHTED ONE TOUCH DISPLAY USE ON SINGLE & MULTI-STAGE HEATING & COOLING SYSTEMS & HEAT PUMPS, EXCEPT ELECTRIC BASEBOARD HEAT



SSC No.	Manuf No.	Temperature Range	Voltage	Batteries	Heat	Cool	Price Each
44A 5605	P621U	45° to 90° F	24 V	2 AA	2 Stage	1 Stage	\$ 89.19

BATTERIES INCLUDED

LUXPRO® P711

DIGITAL PROGRAMMABLE/NON-PROGRAMMABLE THERMOSTAT

FOR MOST HEATING & A/C SYSTEMS • 1H/1C: GAS, OIL, ELECTRIC OR 1 STAGE HEAT PUMP (WITH NO AUX/EMERG HEAT) 2-W HYDRONIC SYSTEMS (HOT WATER BASEBOARD & RADIATOR) • GAS MILLIVOLT HEATERS (WALL HEATERS/FURNACES/GAS FIREPLACES)



SSC No.	Manuf No.	Temperature Range	Voltage	Batteries	Heat	Cool	Price Each
44A 5650	P711	45° to 90° F	24 V	2 AA	1	1 Stage	\$ 72.63

BATTERIES INCLUDED

LUXPRO® PSDH121

DIGITAL NON-PROGRAMMABLE THERMOSTAT

CAN BE MOUNTED HORIZONTALLY OR VERTICALLY • SYSTEM OR BATTERY POWERED • BATTERIES INCLUDED 1 OR 2 STAGE HEAT/1 STAGE COOL HEAT PUMPS, SINGLE STAGE HEAT PUMP • EMERGENCY HEAT POSITION



SSC No.	Manuf No.	Temperature Range	Voltage	Batteries	Heat	Cool	Price Each
44A 5665	PSDH121	45° to 90° F	24 V	2 AA	1/2 Stage	1 Stage	\$ 77.64

BATTERIES INCLUDED

LUXPRO® PSPLV512

PROGRAMMABLE LINE VOLTAGE THERMOSTAT - 5 DAY/2 DAY

HEAT ONLY THERMOSTAT • PREPROGRAMMED - 4 PERIODS PER DAY • POSITIVE OFF SWITCH • °F/°C SELECTABLE 1 STAGE HEAT • 1 OR 2 POLE • TEMPORARY OVERRIDE • VACATION HOLD • NOT FOR 24 V HTG & AC SYSTEMS



SSC No.	Manuf No.		Batteries	Heat	Price Each
44A 5670	PSPLV512	For 120/240 VAC To 15A	2 AA	1 Stage	\$ 99.00

BATTERIES INCLUDED

For More Information On These Products Or On Products Not Listed,
Call *Salina Supply Company* At (785) 823-2221

LUX Thermostats continued on next page

BOILERS CONTROLS CHEMICALS





THERMOSTATS

LUXPRO® PSP722E

Everything 'Stat® PROGRAMMABLE THERMOSTAT

UNIVERSALLY COMPATIBLE • SINGLE OR MULTISTAGE HEATING & COOLING SYSTEMS • 7 DAY WITH 4 PERIODS PER DAY
TEMPORARY OVERRIDE • VACATION HOLD • LARGE BACKLIT DISPLAY • 12/24 HOUR CLOCK • ENERGY USAGE MONITOR



SSC No.	Manuf No.	Temperature Range	Voltage	Batteries	Heat	Cool	Price Each
44A 5675	PSP722E	45° to 90° F	24 V	2 AA	3 Stage	2 Stage	\$ 98.76

LUX/GEO GEO-WH WI FI CONNECTED

WHITE 7 DAY PROGRAMMABLE THERMOSTAT

WORKS WITH AMAZON ALEXA • EASY INSTALLATION & WIFI CONNECTION • LARGE, BACKLIT DISPLAY • VERTICAL OR HORIZONTAL
WHEEL CONTROL INTERFACE OR SMARTPHONE APP • OPERATES ON 24 VAC, 2 AA BATTERIES OR MICRO-USB (CABLE NOT INCLUDED)



SSC No.	Manuf No.	Temperature Range	Voltage	Batteries	Heat	Cool	Price Each
44A 9310	GEO-WH	White With Chrome	24 V	2 AA	2 Stage	2 Stage	\$ 270.14

BATTERIES INCLUDED

LUX/GEO GEO-BL WI FI CONNECTED

BLACK 7 DAY PROGRAMMABLE THERMOSTAT

WORKS WITH AMAZON ALEXA • EASY INSTALLATION & WIFI CONNECTION • LARGE, BACKLIT DISPLAY • VERTICAL OR HORIZONTAL
WHEEL CONTROL INTERFACE OR SMARTPHONE APP • OPERATES ON 24 VAC, 2 AA BATTERIES OR MICRO-USB (CABLE NOT INCLUDED)



SSC No.	Manuf No.	Temperature Range	Voltage	Batteries	Heat	Cool	Price Each
44A 9315	GEO-BL	Black With Chrome	24 V	2 AA	2 Stage	2 Stage	\$ 270.14

BATTERIES INCLUDED

For More Information On These Products Or On Products Not Listed,
Call *Salina Supply Company* At (785) 823-2221

December 1, 2023


Salina Supply Company

M-16

Honeywell**VR8200 COMBINATION BURNER CONTROL**


NATURAL GAS • CONTINUOUS PILOT DUAL AUTOMATIC VALVE • INCLUDES NG TO LP CONVERSION KIT

SSC No.	Manuf No.	Voltage	Capacity	PSI		Price Each
44A 6733	VR8200A2132	24 V	20-200 CFH	1/2	1/2" Inlet x 1/2" Outlet	\$ 282.54

**VR8300 COMBINATION BURNER CONTROL**

NATURAL GAS • CONTINUOUS PILOT DUAL AUTOMATIC VALVE • INCLUDES NG TO LP CONVERSION KIT

SSC No.	Manuf No.	Voltage	Capacity	PSI		Price Each
44A 6735	VR8300A3500	24 V	30-300 CFH	1/2	1/2" Inlet x 3/4" Outlet	\$ 265.82




For More Information On These Products Or On Products Not Listed,
Call *Salina Supply Company* At (785) 823-2221

SLURK24V UNIVERSAL SILICON CARBIDE HS IGNITOR

SILICON NITRIDE HEATING ELEMENT • NICHROME FLAME SENSOR • 3 YEAR WARRANTY

SSC No.	Manuf No.	Voltage		Price Each
44A 3000	SLURK24V	24V	Direct Drop-In Replacement	\$ 75.66

**V8043F STRAIGHT MOTORIZED VALVE, SPDT**

END SWITCH • LOW VOLTAGE THERMOSTAT NEEDED • NORMALLY CLOSED • POWER CONSUMPTION 7.7 VA

SSC No.	Manuf No.	Connection	Voltage	Flow Capacity	Control Circuit	Price Each
44A 6470	V8043F1036	3/4" Sweat	24 V	3.5 CV	50/60 Hz	\$ 177.76
44A 6490	V8043F1051	1" Sweat	24 V	3.5 CV	50/60 Hz	209.16

44A 9200	802360 JA	24 V Sealed Motor For V8043F				\$ 60.12
----------	------------------	-------------------------------------	--	--	--	----------


**BOILERS CONTROLS CHEMICALS****M**

Honeywell**S8610U UNIVERSAL INTERMITTENT PILOT MODULE**

SSC No.	Manuf No.	Max Shutoff Time	Voltage	Gas	Range	Price Each
44A 4400	S8610U3009	90 Seconds	24 V	LP/NG	-40° to 165° F	\$ 233.54



44A 4300	50A55843	W/R Ignition Module	1179391			\$ 231.25
44A 4310	50E47843	W/R Ignition Module				240.83

**CLEAR PLASTIC LOCKING THERMOSTAT GUARDS**

SSC No.	Manuf No.	Size	Price Each
44A 9255	TG511A1000	5 1/16" x 6 1/16" x 2 15/16" Deep	\$ 50.79
44A 9256	TG512A1009	5 7/8" x 8 3/8" x 3 3/8" Deep	52.66

**HYDROLEVEL MANUAL RESET LOW WATER CUT-OFF**

BURNER CIRCUIT CONTACTS OPEN ON LOW WATER CONDITION IN STEAM OR HOT WATER BOILER. WILL NOT TRIP OUT ON POWER FAILURE. INCLUDES 3/4" SYSTEM CONNECTION, TEST BUTTON, TEST LIGHT & SHORT PROBE SUITABLE FOR MOUNTING IN A STANDARD BLACK TEE.

SSC No.	Manuf No.	Size	Price Each
44B 3500	500SV/45-501	24 Volt	\$ 366.66
44B 3550	550SV/45-551	110 Volt	366.66



For More Information On These Products Or On Products Not Listed,
Call *Salina Supply Company* At (785) 823-2221

**RA2000 SIDE MOUNT ANGLE VALVE BODY**

• 250 PSI MAXIMUM WATER PRESSURE • 15 PSI MAXIMUM STEAM PRESSURE



SSC No.	Manuf No.	Size	Flow	Price Each
44E 2020	013G8018	3/4" NPT	FPT X MPT	\$ 76.56

**RA2000 THERMOSTATIC OPERATOR WITH VALVE MOUNTED SENSOR & DIAL**

SSC No.	Manuf No.	Temp. Range	Max. Sensor Temp.	Price Each
44E 2100	013G8250	45° To 86° F	140° F	\$ 75.20



Salina Supply Company

December 1, 2023

M-18



SSC No.	Manuf No.	Size	Price Each
TAPE DOPE PTFE TAPE			
ALL PURPOSE PTFE TAPE. CLEAN & FAST 10,000 PSI & -450° TO +500°F.			
54Q 0030	15-124	1/2" X 500"	\$ 13.70

PRO DOPE PIPE JOINT COMPOUND			
LEAD FREE PIPE JOINT COMPOUND. NO-DRIP & NO SPILL.			
54Q 0055	15-420	1/2 Pint	\$ 7.90

GRRIP PIPE JOINT COMPOUND & GASKET SEAL			
ALL PURPOSE. SEMI-LIQUID. 12,000 PSI (HYD.), 2600 PSI (GAS) & -90° TO +410°F.			
54Q 0070	15-515	1/2 Pint	Lead Free \$ 17.14

REAL-TUFF PTFE PASTE THREAD SEALANT			
MULTI-PURPOSE. 12,000 PSI (HYDRAULIC), 2600 PSI (GAS) & -200° TO +500°F			
54Q 0075	15-605	2 Ounce	Lead Free \$ 7.17

54Q 0080	15-615	1/4 Pint	Lead Free \$ 10.94
54Q 0085	15-620	1/2 Pint	Lead Free 18.12

54Q 0090	15-625	1 Pint	Lead Free \$ 31.84
----------	---------------	--------	--------------------

MEGALOC THREAD SEALANT			
MULTI-PURPOSE. USE ON METALS & PLASTICS. NON-HAZARDOUS & NON-FLAMMABLE.			
54Q 0092	15-806	1/2 Pint	Lead Free \$ 15.35
54Q 0155	15-808	1 Pint	Lead Free 33.18

WHAM CLEARS & CONDITIONS • BIODEGRADABLE			
FOR DRAINS, SEPTIC TANKS, CESSPOOLS, GREASE TRAPS & DRAIN FIELDS.			
54Q 0093	20-110	Quart	\$ 44.30
54Q 0095	20-115	Gallon	126.34

CLOBBER FOR PROFESSIONAL USE ONLY!			
FASTEST METHOD TO CLEAR EMERGENCY WASTE LINE STOPPAGES.			
54Q 0096	20-205	Quart	\$ 26.42
54Q 0097	20-211	1/2 Gallon	46.19

SIZZLE FOR PROFESSIONAL USE ONLY!			
WATER SYSTEMS, WASTE LINES, HUMIDIFIERS, HEATING, PROCESSING & A.C. EQUIP.			
54Q 0100	20-305	Quart	\$ 21.18
54Q 0105	20-310	Gallon	53.98

DRAIN PIPE CLEANER FREE FLOWING DRY CRYSTALS			
CLEARS DRAINS WITH COLD WATER. CONTAINS ALUMINUM. GENERATES HEAT.			
54Q 0110	20-406	20 Ounce	\$ 8.21

GLUG DRAIN CLEANER			
NON-ACID CRYSTALS CLEAR SLUGGISH DRAINS & PREVENT CLOGS.			
54Q 0115	20-410	20 Ounce	\$ 13.10

SSC No.	Manuf No.	Size	Price Each
R-D ROOT DESTROYER			
WORKS ON LIVE ROOTS ONLY. WON'T HARM TREES OR SHRUBS.			
54Q 0120	20-602	2 Lbs	\$ 45.49

STA-PUT PLASTIC PLUMBERS PUTTY			
MOLDS EASILY & RESISTS HARDENING, CRUMBLING, CRACKING & SHRINKING.			
54Q 0130	25-101	14 Ounce	\$ 3.23
54Q 0135	25-103	3 Lbs	9.31
54Q 0140	25-171	14 Ounce	<i>Ultra Sta-Put</i> \$ 8.22

PLASTIC SEAL			
MULTI-PURPOSE. WATERPROOF. WILL NOT SHRINK OR CRACK.			
54Q 0150	25-215	10.3 Ounce	\$ 22.69

ROOF & FLASHING SEALANT			
LONG-LASTING SEALANT. CAN BE APPLIED ON COLD OR WET SURFACES.			
54Q 0160	25-405	Quart	\$ 22.49
54Q 0165	25-410	Gallon	51.14

PRO-POXY EPOXY SEALING PUTTY			
ALL PURPOSE. TEMPS TO 248°F. 7,500 PSI COMPR. & 3,680 PSI TENSILE STRENGTH.			
54Q 0177	25-515	4 Ounce	\$ 14.95

MULTI-PURPOSE PLUMBERS CAULK			
BRIGHT WHITE, CLEAR OR BONE ACRYLIC-LATEX WITH SILICONE.			
54Q 0179	25-605	6 Ounce	White \$ 6.30
54Q 0180	25-620	6 Ounce	Clear 6.30
54Q 0181	25-631	6 Ounce	Bone 6.30

BOILER LIQUID			
REPAIRS SMALL LEAKS IN STEAM & HOT WATER BOILERS.			
54Q 0183	30-115	Quart	\$ 20.31

BASE HIT II			
HYDRONIC SYSTEM LEAK PREVENTER WITH SILICONES.			
54Q 0185	30-213	12 Ounce	\$ 29.87

BOILER SOLDER			
FREE FLOWING POWDER. REPAIRS STEAM BOILER LEAKS.			
54Q 0190	30-310	1 Lb	\$ 23.99

SCOUT			
NON-TOXIC, ODORLESS STEAM BOILER CLEANER.			
54Q 0195	35-100	115 Grams	\$ 23.72

BOILER & HEATING SYSTEM CLEANER			
CONDITIONER FOR STEAM & HOT WATER BOILERS. CONTAINS SILICONES.			
54Q 0200	35-206	Quart	\$ 23.08
54Q 0205	35-216	5 Gallons	328.89

For More Information On These Products Or On Products Not Listed, Call *Salina Supply Company* At (785) 823-2221

continued on next page

BOILERS CONTROLS CHEMICALS



HERCULES

ROOTO
RECTORSEAL
MISCELLANEOUS

CHEMICALS continued

SSC No.	Manuf No.	Size	Price Each
CRYO-TEK ANTI-FREEZE			
PROTECTS SYSTEMS DOWN TO -50°F. 100% PROPYLENE GLYCOL.			
54Q 0206	35-285	5 Gallon	Anti-Freeze \$ 376.81
54Q 0207	35-282	Gallon	Anti-Freeze 132.88
54Q 0208	35-271	10 Pack	Test Kit 23.36

HIGH HEAT FURNACE/STOVE CEMENT

READY TO USE. PREMIXED & AIR SETTING. CONTAINS NO ASBESTOS.

54Q 0220	35-503	1/2 Pint	\$ 4.32
54Q 0230	35-515	1/2 Gallon	19.42
54Q 0235	35-610	Gallon	33.97

CLEAR OR DARK CUTTING OIL

CLEAR OR DARK BOTH EXCELLENT LUBRICATION FOR CUTTING SHARP THREADS.

54Q 0240	40-115	Quart	Clear Oil \$ 18.20
54Q 0245	40-210	Pint	Dark Oil 15.71

DUCK BUTTER PIPE JOINT LUBRICANT

FOR JOINING PIPE & FITTINGS WITH RUBBER OR PLASTIC GASKETS.

56B 9500	40-501	2 Lbs	\$ 9.19
----------	---------------	-------	---------

IRON IKE

DISSOLVES RUST & IRON STAINS ON ALL KINDS OF SURFACES.

54Q 0253	45-400	20 Ounce	\$ 18.50
----------	---------------	----------	----------

GLUG LIQUID DRAIN CLEANER

54Q 5260	20-450	Quart	\$ 12.33
----------	---------------	-------	----------

For More Information On These Products Or On
Products Not Listed, Call
Salina Supply Co. At (785) 823-2221

CHEMICALS

SSC No.	Manuf No.	Size	Price Each
ROOT DESTROYER FOR BLOCKED SEWER			
54Q 5210	1	25 Lbs	\$ 92.84

ROOT DESTROYER TO IMPEDE GROWTH

54Q 5220	2	6.5 Lbs	\$ 25.39
----------	----------	---------	----------

DRAIN CLEANER

54Q 5240	4	16 Ounce	\$ 4.36
----------	----------	----------	---------

SEPT-X-CLEANER

54Q 5250		2 Lbs	\$ 11.24
----------	--	-------	----------

RECTORSEAL CHEMICALS

SSC No.	Manuf No.	Size	Price Each
CALCI-FREE TANKLESS WATER HEATER FLUSH			
54R 1100	68708	1.2 Lbs Powder	\$ 25.60

RECTORSHIELD HEAT ABSORPTION COMPOUND

42E 0057	83554	10 Ounce	\$ 20.46
----------	--------------	----------	----------

#5 YELLOW DOPE

54R 1000	25551	1/2 Pint	\$ 21.44
54R 1010	25431	1 Pint	33.70

FIRE STOP CAULK

54R 3200	25696	10 Ounce	\$ 19.64
----------	--------------	----------	----------

MISCELLANEOUS CHEMICALS

SSC No.	Manuf No.	Size	Price Each
LIQUID LIGHTNING PRO DRAIN OPENER			
MULTI-PURPOSE DISSOLVER FOR PAPER, GREASE, HAIR & SOAP.			
54Q 9600	S95-793	Quart Bottle	\$ 16.80

WET-R-DRY SEWER CEMENT

54Q 5300	C09-001	Gallon	\$ 22.24
----------	----------------	--------	----------

PLUMBERS GREASE

54R 3000	HPG2	2.0 Ounce	\$ 9.70
----------	-------------	-----------	---------

BLUE MONSTER™ CITRUS HAND TOWELS

42E 1210	77095	10" x 12" Heavy Duty	\$ 35.40
----------	--------------	----------------------	----------

BLUE MONSTER™ PTFE THREAD SEAL TAPE

54Q 4000	70885	1/2" x 1000"	\$ 6.91
54Q 4050	70886	3/4" x 1429"	9.41

TEFLON PIPE TAPE

54R 1860	R 5153	1/2" x 260"	\$ 2.95
54R 6050	R 5161	3/4" x 520"	6.98

PLUMBERS PUTTY IPS

54R 6060	R 5101	14 Ounce	\$ 3.99
----------	---------------	----------	---------

CLEAR SILICONE SEALANT

54R 3100	30236	10.3 Ounce Clear	\$ 15.42
54R 3120	031305	2.8 Ounce Clear	9.20

WHITE SILICONE SEALANT

54R 3110	30237	10.3 Ounce White	\$ 16.88
54R 3130	031345	2.8 Ounce White	9.20

ROCKTITE CEMENT

58J 5000		5 Lbs	\$ 9.64
----------	--	-------	---------