


**SELF-PIERCING LEAD FREE WATER TAP VALVE KIT**  
 FOR COPPER • LEAD FREE • STAINLESS STEEL PIERCING NEEDLE • 1/4" COMPRESSION FITTING  
 NO SHUTTING OFF WATER • NO DRILLING • FITS 3/8" TO 1.315 OD TUBE



SSC No.	Manuf No.	Size	Wgt	Price Each
42A 7090	<b>S92-001</b>	1/4" OD	.6 Lbs	\$ 7.58

**TYPE G SOLENOID VALVE BODIES**  
 TWO WAY TYPE NORMALLY CLOSED • FOR AIR, WATER BELOW 180° F • LIGHT OILS BELOW 300 SUS.



SSC No	Manuf No	Size	Price Each
42A 6210	<b>GP400/70562</b>	<b>TYPE G VALVE BODY ONLY</b> 1/2" IPF	\$ 161.48
42A 6310	<b>GP600/70712</b>	<b>TYPE G VALVE BODY ONLY</b> 3/4" IPF	265.68

**COILS FOR TYPE G SOLENOID VALVE BODIES**



SSC No	Manuf No	Voltage	Price Each
42A 5710	<b>G23MM-24/77300</b>	24 V	\$ 71.52 *
42A 5820	<b>G23MM-120/240/77360</b>	120 V/240 V	73.16
42A 5910	<b>G23MM-240/77320</b>	240 V	63.54

For More Information On These Products Or On Products Not Listed,  
 Call *Salina Supply Company* At (785) 823-2221

## CAPACITORS

\* Price Change  
\*\* New Product

### DUAL VOLTAGE RUN CAPACITORS

SSC No	Manuf No	MFD Run	Voltage		Price Each
44D 1020	<b>30147/45050H</b>	5	370/440	OVAL	\$ 2.57
44D 1025	<b>30229/4JR0540</b>	40/5	370/440	ROUND	\$ 10.08
44D 1030	<b>30232/4JR0545</b>	45/5	370/440	ROUND	12.36**
44D 1050	<b>30149/45075H</b>	7.5	370/440	OVAL	\$ 3.92
44D 1060	<b>30150/45100H</b>	10	370/440	OVAL	\$ 4.61
44D 1070	<b>30202/45150R</b>	15	370/440	ROUND	5.19
44D 1076	<b>30154/45200H</b>	20	370/440	OVAL	\$ 5.45
44D 1080	<b>30205/45250R</b>	25	370/440	ROUND	10.64
44D 1100	<b>30206/45300R</b>	30	370/440	ROUND	\$ 11.49
44D 1110	<b>30156/45300H</b>	30	370/440	OVAL	7.22
44D 1120	<b>30207/45350R</b>	35	370/440	ROUND	\$ 12.27
44D 1130	<b>30157/45350H</b>	35	370/440	OVAL	11.09
44D 1140	<b>30208/45400R</b>	40	370/440	ROUND	\$ 14.68
44D 1145	<b>30184/4JR0530</b>	30/5	370/440	OVAL	\$ 9.35**
44D 1155	<b>30225/4JR0535</b>	35/5	370/440	ROUND	11.27**



### HARD START KIT #6

UP TO 500% STARTING TORQUE ON LOW VOLTAGE OR LIGHT COMPRESSORS

**BRAMEC®**

SSC No	Manuf No	Description	Price Each
44B 3770	<b>19682</b>	FOR UNITS 4000 TO 120,000 BTU; 1/2 THRU 10 HP; 115 - 288 VAC	\$ 16.13



### 8' REPLACEMENT POWER SUPPLY CORD

FOR DISPOSALS, APPLIANCES, POWER TOOLS & EQUIPMENT

**BRAMEC®**

SSC No	Manuf No	Description	Price Each
44B 3650	<b>17629</b>	14/3 SJTWA POWER CORD 8' LENGTH	\$ 10.40



### SUPER-PAN® HORIZONTAL PLASTIC SECONDARY DRAIN PAN

BLACK IMPACT RESISTANT HIGH DENSITY POLYETHYLENE PLASTIC • ROLLED EDGES FOR DURABILITY & STRENGTH  
RIBBED BOTTOMS FOR RIGIDITY • 3/4" PVC FITTINGS SUPPLIED • NO RUST - NO BREAKAGE - NO LEAKAGE

SSC No	Manuf No	Size	Price Each
46B 9135	<b>17619</b>	32" X 63" X 2 1/2" DEEP	\$ 47.56
46B 9140	<b>17586</b>	27" X 39" X 2 1/2" DEEP	34.03




## FILTER DRIERS

\* Price Change  
\*\* New Product


### SOLDER TYPE FILTER DRIERS

SSC No	Manuf No	Desiccant Cubic In.	Conn.	Ton Cap.	Body Diameter	A	Wgt. Lbs.	Price Each
42B 2100	<b>DRYL052S</b>	5	1/4"	1.9	2 <sup>3</sup> / <sub>8</sub> "	3 <sup>3</sup> / <sub>4</sub> "	0.81 Lbs	\$ 13.40 *
42B 2220	<b>DRYL083S</b>	8	3/8"	6.6	2 <sup>3</sup> / <sub>8</sub> "	4 <sup>3</sup> / <sub>8</sub> "	1.00 Lbs	\$ 15.36 *
42B 2250	<b>DRY163L3</b>	16	3/8"	6.9	2 <sup>31</sup> / <sub>32</sub> "	5 <sup>3</sup> / <sub>64</sub> "	2.06 Lbs	\$ 25.42 *
42B 2260	<b>DRYL164S</b>	16	1/2"	12	2 <sup>31</sup> / <sub>32</sub> "	5"	2.13 Lbs	23.24 *



### SUCTION LINE FILTER DRIERS

SSC No	Model No	Volume Cubic In.	Conn. O.D.	Filter Area	A	B	Wgt. Lbs.	Price Each
42B 2863	<b>DRYS166S</b>	12.5	3/4"	26"	2 <sup>31</sup> / <sub>32</sub> "	9.31"	1.79 Lbs	\$ 43.26 *
42B 2864	<b>DRYS167S</b>	12.5	7/8"	26"	2 <sup>31</sup> / <sub>32</sub> "	9.31"	1.79 Lbs	43.26 *



For More Information On These Or Other Products, Call *Salina Supply Company* At (785) 823-2221

### BI-FLOW SWEAT HEAT PUMP FILTER DRIER

SSC No	Model No	Volume Cubic In.	Conn. O.D.	Diameter	Length	Wgt. Lbs.	Price Each
42B 1900	<b>DRYB083S</b>	8	3/8"	2.64"	5.31"	1.40 Lbs	\$ 24.34 **




MODEL NUMBER	PART NUMBER	FILTER AREA IN SQUARE INCHES	WATER CAPACITY IN DROPS			FLOW CAPACITY TON AT 2 PSI			OZ AT 86°F TO FILL DRIER		
			REFRIG 12	REFRIG 22	REFRIG 502	REFRIG 12	REFRIG 22	REFRIG 502	REFRIG 12	REFRIG 22	REFRIG 502
			75/125°	75/125°	75/125°						
<b>A-16600</b>	<b>FL-032</b>	11 <sup>3</sup> / <sub>4</sub> "	57/38	34/26	38/29	2.0	2.4	1.6	3.4	3.1	3.3
<b>A-16601</b>	<b>FL-033</b>	11 <sup>3</sup> / <sub>4</sub> "	57/38	34/26	38/29	3.6	4.3	2.9	3.4	3.1	3.3
<b>A-16608</b>	<b>FL-082</b>	25 <sup>1</sup> / <sub>2</sub> "	156/104	93/70	104/78	2.0	2.4	1.6	7.9	7.2	7.5
<b>A-16609</b>	<b>FL-083</b>	25 <sup>1</sup> / <sub>2</sub> "	156/104	93/70	104/78	4.6	5.5	3.7	7.9	7.2	7.5
<b>A-16610</b>	<b>FL-084</b>	25 <sup>1</sup> / <sub>2</sub> "	156/104	93/70	104/78	9.2	11.0	7.3	7.9	7.2	7.5
<b>A-16612</b>	<b>FL-162</b>	36 <sup>1</sup> / <sub>4</sub> "	265/177	159/120	177/133	1.8	2.1	1.4	16.8	15.3	16.0
<b>A-16613</b>	<b>FL-163</b>	36 <sup>1</sup> / <sub>4</sub> "	265/177	159/120	177/133	4.9	5.9	3.9	16.8	15.3	16.0
<b>A-16614</b>	<b>FL-164</b>	36 <sup>1</sup> / <sub>4</sub> "	265/177	159/120	177/133	9.2	11.0	7.3	16.8	15.3	16.0
<b>A-16615</b>	<b>FL-165</b>	36 <sup>1</sup> / <sub>4</sub> "	265/177	159/120	177/133	13.4	16.1	10.7	16.8	15.3	16.0
<b>A-16619</b>	<b>FL-304</b>	65 <sup>1</sup> / <sub>2</sub> "	490/328	260/220	328/245	10.0	12.0	8.0	22.2	20.1	20.9
<b>A-16620</b>	<b>FL-305</b>	65 <sup>1</sup> / <sub>2</sub> "	490/328	260/220	328/245	14.2	17.0	11.3	22.2	20.1	20.9
<b>A-16624</b>	<b>FL-414</b>	75"	635/425	330/280	425/318	10.5	12.6	8.4	33.2	30.2	31.3
<b>A-16625</b>	<b>FL-415</b>	75"	635/425	330/280	425/318	14.5	17.4	11.6	33.2	30.2	31.3
<b>A-16646</b>	<b>SD-033</b>	17"	100/67	66/50	67/50	1.6	1.9	1.3	5.8	5.3	5.5
<b>A-16647</b>	<b>SD-032</b>	17"	100/67	66/50	67/50	5.2	6.2	4.1	5.8	5.3	5.5
<b>A-16653</b>	<b>SD-033</b>	36 <sup>1</sup> / <sub>4</sub> "	265/177	159/120	177/133	5.8	6.9	4.6	16.8	15.3	16.0
<b>A-16654</b>	<b>SD-032</b>	36 <sup>1</sup> / <sub>4</sub> "	265/177	159/120	177/133	10.0	12.0	8.0	16.8	15.3	16.0

## REFRIGERATION

\* Price Change  
\*\* New Product

### NU-BRITE® LIQUID CONDENSER COIL CLEANER

FOR OUTDOOR USE ONLY! • FOR FINNED HEAT & COOLING EQUIPMENT • NON-ACIDIC, ALKALINE-BASED



SSC No.	Manuf No.	Size	Price Each
42E 0016	<b>4291-08</b>	1 Gallon	<b>\$ 32.49 *</b>


CLEANS & BRIGHTENS

### EVAP FOAM NO RINSE® FIN & COIL CLEANER

AEROSOL SPRAY • CLEANS & DEODORIZES



SSC No.	Manuf No.	Size	Price Each
42E 0020	<b>4171-75</b>	18 Oz Aerosol	<b>\$ 14.42 *</b>




### ICE MACHINE CLEANER

LIQUID • FOOD-GRADE, USDA-ACCEPTED  
8 OUNCE BOTTLE



SSC No.	Manuf No.	Price Each
42E 0025	<b>4207-47/IMCA-1/2PI</b>	<b>\$ 12.56 *</b>



### YELLOW JACKET SUPEREVAC PUMP

HIGH EFFICIENCY • VACUUM INDICATOR GAUGE • HEAVY DUTY HIGH TORQUE MOTOR • GAS BALLAST • LOW OPERATING TEMP



SSC No.	Manuf No.	Size	Price Each
42C 1067	<b>93560</b>	2 Stage Vacuum Pump	<b>\$ 708.59 *</b>


6.0 CFM

### C-3S REFRIGERATION OIL

1 GALLON • 150 SUS • NAPHTHENIC MINERAL OIL



SSC No.	Manuf No.	Price Each
42P 0070	<b>4303-07/RO-3</b>	<b>\$ 44.22</b>



### VACUUM PUMP OIL

1 QUART BOTTLE



SSC No.	Manuf No.	Price Each
42P 0265	<b>4383-24/VP0350</b>	<b>\$ 15.32</b>



### YELLOW JACKET SERIES 41 MANIFOLD

• EASY-TO-READ 3 1/8" COLOR CODED GAUGES • PRESTESTED • FORGED BRASS BODY WITH METAL VALVE HANDLES  
• FLUTTERLESS™ GAUGE MOVEMENTS • 3 60" RYB PLUS II HOSES WITH STANDARD 1/4" FLARE FITTINGS • FOR R410A



SSC No.	Manuf No.	Price Each
42C 4020	<b>42715</b>	<b>\$ 247.51 *</b>

Testing & Charging Manifold WITH GAUGES & HOSES

### YELLOW JACKET PLUS II CHARGING HOSES

• WITH DOUBLE BARRIER PROTECTION • 45° SEALRIGHT FITTING AT ONE END



SSC No.	Manuf No.	Size	Price Each
42C 4035	<b>29985</b>	1/4" x 60"	<b>\$ 140.24 *</b>

3 Pak YELLOW BLUE RED .5 Lbs

### R410A REFRIGERANT

RESIDENTIAL & LIGHT COMMERCIAL USE



SSC No.	Manuf No.	Size	Price Each
42F 1965	<b>R410A</b>	25# Cylinder	<b>\$ 167.99 **</b>

### R438A REFRIGERANT

(ICEON MO99) FOR HIGH, MEDIUM & LOW TEMP



SSC No.	Manuf No.	Size	Price Each
42F 1972	<b>R438A</b>	25# Cylinder	<b>\$ 333.90 **</b>

## REFRIGERATION \* Price Change

### ELECTRONIC DIGITAL MANOMETER UEI

SINGLE INPUT • MEASURES POSITIVE & NEGATIVE PRESSURE TO 20" WATER GAUGE  
3 SCALES - In-WG, mBAR & PSI • .01" RESOLUTION BELOW 9.99"

SSC No.	Manuf No.	Measurement Range	Operating Range	Price Each
42P 1155	<b>EM152</b>	-20" to 20" WG	32" -104° F 10 - 90% RH	\$ 156.25 *



### POCKET-SIZED DIGITAL PSYCHROMETER UEI

DISPAYS 3 PARAMETERS SIMULTANEOUSLY • PROTECTIVE SENSOR CAP • 2 AAA BATTERIES & INSTRUCTION MANUAL INCLUDED  
0 TO 100% RH RANGE • -69° TO 122° F WET BULB RANGE • -90.4° TO 122° F DEW POINT RANGE • 60 SECOND RESPONSE TIME

SSC No.	Manuf No.	Temperature Range	External Temperature Range	Price Each
42P 1150	<b>DTH31</b>	-4° to 122° F	-4° to 158° F	\$ 154.20



### INFRARED THERMOMETER WITH K-TYPE INPUT UEI

8-POINT CIRCULAR LASER • LARGE HIGH-CONTRAST BACKLIT DISPLAY • 3 EMISSIVITY LEVELS: (0.30, 0.70, 0.95)  
MIN/MAX/AVG/DIFF • HI/LO ALARM (USER ADJUSTABLE) • -76° to 1022° F • 12:1 DISTANCE TO SPOT RATIO

SSC No.	Manuf No.	Temperature Range	Distance To Spot Ratio	Price Each
42P 0230	<b>INF195C</b>	-76° to 1022° F	12:1 Distance To Spot Ratio	\$ 139.04



### DIGITAL POCKET THERMOMETER UEI

FITS FLAT IN POCKET • 5<sup>3</sup>/<sub>4</sub>" LONG • 3" STEM • RUGGEDIZED (WITHSTANDS A 10' DROP) • 3 YEAR LIMITED WARRANTY  
LARGE EASY-TO-READ LCD DISPLAY • ON/OFF BUTTON & AUTO POWER OFF • DATA HOLD & CONTINUOUS UPDATE


SSC No.	Manuf No.	Temperature Range	Length	Wgt.	Price Each
42P 1175	<b>PDT550</b>	-40° to 300° F	5 <sup>3</sup> / <sub>4</sub> " Long	0.2 Lbs	\$ 30.32



### SAFETY+PLUS PORTABLE GAS LEAK DETECTOR BrassCraft

DETECTS NATURAL, LP, BUTANE & METHANE GASES • USES TWO AA ALKALINE BATTERIES  
WITH PROTECTIVE CAP • IMBEDDED MICROPROCESSOR WITH LOW BATTERY ALERT

Manuf No.	Operating Temperature	Length	Price Each
<b>BCGLD01X6</b>	0° F to 110° F	11.06" Length	Call For Price



### REFRIGERANT GAS LEAK DETECTOR UEI

ADVANCED IONIZATION DETECTION SENSOR • .5 OZ. PER YR R134A SENSITIVITY • CONTINUOUS DUTY CYCLE  
18.5" PROBE • CONDITIONS 0 TO 80% RH (NONCONDENSING) • < 10 SEC WARM UP TIME • < 1 SEC RESPONSE TIME • 9V BATTERY  
DETECTS R11, R12, R13, R22,R23, R113, R114, R134A, R500, R502, HALONS R404A, SF6 PERCHLORETHYLENE BLENDS R410A

SSC No.	Manuf No.	Operating Temperature	Warranty	Price Each
42P 1270	<b>RLD10</b>	32° F to 120° F	1 Year Limited Warranty	\$ 249.57



### CARBON MONOXIDE DETECTOR UEI

LONG LIFE CO SENSOR • BACKLIT DISPLAY • PRESET ALARMS • 3-COLOR WARNING LIGHT • AUDIBLE ALERT  
LOW BATTERY INDICATOR • ONE BUTTON AUTO ZERO • 9 VOLT BATTERY & HOLSTER INCLUDED

SSC No.	Manuf No.	Operating Temperature	Price Each
42P 0250	<b>CO71A</b>	32° F to 104° F	\$ 299.92




## REFRIGERATION

\* Price Change  
\*\* New Product

### CAL-BLUE LT® LOW TEMP LEAK DETECTOR

A BLUE-COLORED MULTI-FUNCTIONAL LEAK DETECTOR • FREEZE-PROTECTION DOWN TO -20°F & UP TO 225°F  
FORMULATED FOR HIGH & LOW TEMPERATURE APPLICATIONS OXYGEN SAFE • NON CORROSIVE



SSC No.	Manuf No.	Size	Price Each
42A 0200	<b>4183-24/LDL-1Q</b>	1 Quart Bottle With Spray	\$ 19.99 *

### EXTENDED OILER

FILLED WITH ALL PURPOSE LUBE OIL WITH TELESCOPING-SPOUT



SSC No.	Manuf No.	Size	Price Each
42P 0264	<b>40019/co-1</b>	4 Oz Bottle	\$ 2.54 *

### RED HIGH TEMP SILICONE SEALANT Bramec®


PERMANENTLY FLEXIBLE -85°F TO 500°F



SSC No.	Manuf No.	Size	Price Each
42M 0400	<b>18068</b>	10.1 Fl Oz	\$ 6.37 **

### A/C EASYSEAL LEAK SEALER


PREVENTS REFRIGERANT LEAKS & SEALS EXISTING LEAKS IN A/C & REFRIGERATION SYSTEMS PERMANENTLY  
ELIMINATES EXPENSIVE LEAK SEARCH & REPAIR • TRAVELS WITH REFRIGERANT TO FIND LEAKS FAST • REUSABLE HOSE



SSC No.	Manuf No.	Size	Price Each
42E 0010	<b>4050-60</b>	3 Oz Pressurized Can	Treats 1.5 To 5 Tons \$ 84.92 **

### EASYSEAL DIRECT INJECT LEAK SEALER


CONCENTRATED FORMULA - LESS MATERIAL IN SYSTEM • CLEAR TUBE TO SEE THE SEALANT GO IN  
NO NEED TO PUMP DOWN R-410A UNITS • NO INJECTION HOSE OR CAULK GUN NEEDED



SSC No.	Manuf No.	Size	Price Each
42E 0015	<b>4050-08</b>	1 Time Use	Treats 1.5 To 5 Tons \$ 83.72 **

### NYLON FIN COMBS


STRAIGHTENS CONDENSER & EVAPORATOR FINS • EASY TO GRIP • COLOR-CODED FOR EASY IDENTIFICATION



SSC No.	Manuf No.	FPI	Price Each
42A 8305	<b>19849</b>	9 & 15 FPI	Yellow Comb \$ 3.18 *
42A 8310	<b>19852/T417/1161145</b>	16 & 17 FPI	Forest Green Comb 2.97 *
42A 8320	<b>19853/T418/1161146</b>	18 & 20 FPI	Red Comb 2.97 *

### NYLON FIN TOOL SET

CONTAINS 1 EACH OF: •**T408** ORANGE (8 & 10 FPI) •**T409** YELLOW (9 & 15 FPI) •**T411** BLUE (11 & 13 FPI)  
•**T412** GREEN (12 & 14 FPI) •**T417** LIME (16 & 17 FPI) •**T418** RED (18 & 20 FPI)



SSC No.	Manuf No.	Price Each
42A 8325	<b>T400/1161147</b>	Set With 6 Color Coded Fin Combs \$ 18.44

### UNIVERSAL ADJUSTABLE FIN COMB

COMFORTABLE BICYCLE GRIP • METAL BRISTLES • ADJUSTABLE TENSION BAND • ADJUSTS TO ALL FIN SPACINGS



SSC No.	Manuf No.	Price Each
42A 8330	<b>19917</b>	Adjustable Fin Comb \$ 10.64