


SELF-PIERCING LEAD FREE WATER TAP VALVE KIT

FOR COPPER • LEAD FREE • STAINLESS STEEL PIERCING NEEDLE • 1/4" COMPRESSION FITTING
NO SHUTTING OFF WATER • NO DRILLING • FITS 3/8" TO 1.315 OD TUBE

JSC



SSC No.	Manuf No.	Size	Wgt	Price Each
42A 7090	S92-001	1/4" OD	.6 Lbs	\$ 7.58

TYPE G SOLENOID VALVE BODIES

TWO WAY TYPE NORMALLY CLOSED • FOR AIR, WATER BELOW 180° F • LIGHT OILS BELOW 300 SUS.

Parker



SSC No	Manuf No	Size	Price Each
42A 6210	GP400/70562	TYPE G VALVE BODY ONLY 1/2" IPF	\$ 161.48
42A 6310	GP600/70712	TYPE G VALVE BODY ONLY 3/4" IPF	265.68

COILS FOR TYPE G SOLENOID VALVE BODIES

Parker



SSC No	Manuf No	Voltage	Price Each
42A 5710	G23MM-24/77300	24 V	\$ 71.52 *
42A 5820	G23MM-120/240/77360	120 V/240 V	73.16
42A 5910	G23MM-240/77320	240 V	63.54

For More Information On These Products Or On Products Not Listed,
Call *Salina Supply Company* At (785) 823-2221

CAPACITORS

* Price Change
** New Product

DUAL VOLTAGE RUN CAPACITORS

SSC No	Manuf No	MFD Run	Voltage		Price Each
44D 1020	30147/45050H	5	370/440	OVAL	\$ 2.57
44D 1025	30229/4JR0540	40/5	370/440	ROUND	\$ 10.08
44D 1030	30232/4JR0545	45/5	370/440	ROUND	12.36**
44D 1050	30149/45075H	7.5	370/440	OVAL	\$ 3.92
44D 1060	30150/45100H	10	370/440	OVAL	\$ 4.61
44D 1070	30202/45150R	15	370/440	ROUND	5.19
44D 1076	30154/45200H	20	370/440	OVAL	\$ 5.45
44D 1080	30205/45250R	25	370/440	ROUND	10.64
44D 1100	30206/45300R	30	370/440	ROUND	\$ 11.49
44D 1110	30156/45300H	30	370/440	OVAL	7.22
44D 1120	30207/45350R	35	370/440	ROUND	\$ 12.27
44D 1130	30157/45350H	35	370/440	OVAL	11.09
44D 1140	30208/45400R	40	370/440	ROUND	\$ 14.68
44D 1145	30184/4JR0530	30/5	370/440	OVAL	\$ 9.35**
44D 1155	30225/4JR0535	35/5	370/440	ROUND	11.27**



HARD START KIT #6

UP TO 500% STARTING TORQUE ON LOW VOLTAGE OR LIGHT COMPRESSORS

BRAMEC®

SSC No	Manuf No	Description	Price Each
44B 3770	19682	FOR UNITS 4000 TO 120,000 BTU; 1/2 THRU 10 HP; 115 - 288 VAC	\$ 16.13



8' REPLACEMENT POWER SUPPLY CORD

FOR DISPOSALS, APPLIANCES, POWER TOOLS & EQUIPMENT

BRAMEC®

SSC No	Manuf No	Description	Price Each
44B 3650	17629	14/3 SJTWA POWER CORD 8' LENGTH	\$ 10.40



SUPER-PAN® HORIZONTAL PLASTIC SECONDARY DRAIN PAN

BLACK IMPACT RESISTANT HIGH DENSITY POLYETHYLENE PLASTIC • ROLLED EDGES FOR DURABILITY & STRENGTH
RIBBED BOTTOMS FOR RIGIDITY • 3/4" PVC FITTINGS SUPPLIED • NO RUST - NO BREAKAGE - NO LEAKAGE

SSC No	Manuf No	Size	Price Each
46B 9135	17619	32" X 63" X 2 1/2" DEEP	\$ 47.56
46B 9140	17586	27" X 39" X 2 1/2" DEEP	34.03




FILTER DRIERS

* Price Change
** New Product


SOLDER TYPE FILTER DRIERS

SSC No	Manuf No	Desiccant Cubic In.	Conn.	Ton Cap.	Body Diameter	A	Wgt. Lbs.	Price Each
42B 2100	DRYL052S	5	1/4"	1.9	2 ³ / ₈ "	3 ³ / ₄ "	0.81 Lbs	\$ 13.40 *
42B 2220	DRYL083S	8	3/8"	6.6	2 ³ / ₈ "	4 ³ / ₈ "	1.00 Lbs	\$ 15.36 *
42B 2250	DRY163L3	16	3/8"	6.9	2 ³¹ / ₃₂ "	5 ³ / ₆₄ "	2.06 Lbs	\$ 25.42 *
42B 2260	DRYL164S	16	1/2"	12	2 ³¹ / ₃₂ "	5"	2.13 Lbs	23.24 *



SUCTION LINE FILTER DRIERS

SSC No	Model No	Volume Cubic In.	Conn. O.D.	Filter Area	A	B	Wgt. Lbs.	Price Each
42B 2863	DRYS166S	12.5	3/4"	26"	2 ³¹ / ₃₂ "	9.31"	1.79 Lbs	\$ 43.26 *
42B 2864	DRYS167S	12.5	7/8"	26"	2 ³¹ / ₃₂ "	9.31"	1.79 Lbs	43.26 *



For More Information On These Or Other Products, Call *Salina Supply Company* At (785) 823-2221

BI-FLOW SWEAT HEAT PUMP FILTER DRIER

SSC No	Model No	Volume Cubic In.	Conn. O.D.	Diameter	Length	Wgt. Lbs.	Price Each
42B 1900	DRYB083S	8	3/8"	2.64"	5.31"	1.40 Lbs	\$ 24.34 **




MODEL NUMBER	PART NUMBER	FILTER AREA IN SQUARE INCHES	WATER CAPACITY IN DROPS			FLOW CAPACITY TON AT 2 PSI			OZ AT 86°F TO FILL DRIER		
			REFRIG 12	REFRIG 22	REFRIG 502	REFRIG 12	REFRIG 22	REFRIG 502	REFRIG 12	REFRIG 22	REFRIG 502
			75/125°	75/125°	75/125°						
A-16600	FL-032	11 ³ / ₄ "	57/38	34/26	38/29	2.0	2.4	1.6	3.4	3.1	3.3
A-16601	FL-033	11 ³ / ₄ "	57/38	34/26	38/29	3.6	4.3	2.9	3.4	3.1	3.3
A-16608	FL-082	25 ¹ / ₂ "	156/104	93/70	104/78	2.0	2.4	1.6	7.9	7.2	7.5
A-16609	FL-083	25 ¹ / ₂ "	156/104	93/70	104/78	4.6	5.5	3.7	7.9	7.2	7.5
A-16610	FL-084	25 ¹ / ₂ "	156/104	93/70	104/78	9.2	11.0	7.3	7.9	7.2	7.5
A-16612	FL-162	36 ¹ / ₄ "	265/177	159/120	177/133	1.8	2.1	1.4	16.8	15.3	16.0
A-16613	FL-163	36 ¹ / ₄ "	265/177	159/120	177/133	4.9	5.9	3.9	16.8	15.3	16.0
A-16614	FL-164	36 ¹ / ₄ "	265/177	159/120	177/133	9.2	11.0	7.3	16.8	15.3	16.0
A-16615	FL-165	36 ¹ / ₄ "	265/177	159/120	177/133	13.4	16.1	10.7	16.8	15.3	16.0
A-16619	FL-304	65 ¹ / ₂ "	490/328	260/220	328/245	10.0	12.0	8.0	22.2	20.1	20.9
A-16620	FL-305	65 ¹ / ₂ "	490/328	260/220	328/245	14.2	17.0	11.3	22.2	20.1	20.9
A-16624	FL-414	75"	635/425	330/280	425/318	10.5	12.6	8.4	33.2	30.2	31.3
A-16625	FL-415	75"	635/425	330/280	425/318	14.5	17.4	11.6	33.2	30.2	31.3
A-16646	SD-033	17"	100/67	66/50	67/50	1.6	1.9	1.3	5.8	5.3	5.5
A-16647	SD-032	17"	100/67	66/50	67/50	5.2	6.2	4.1	5.8	5.3	5.5
A-16653	SD-033	36 ¹ / ₄ "	265/177	159/120	177/133	5.8	6.9	4.6	16.8	15.3	16.0
A-16654	SD-032	36 ¹ / ₄ "	265/177	159/120	177/133	10.0	12.0	8.0	16.8	15.3	16.0

REFRIGERATION

* Price Change
** New Product

NU-BRITE® LIQUID CONDENSER COIL CLEANER

FOR OUTDOOR USE ONLY! • FOR FINNED HEAT & COOLING EQUIPMENT • NON-ACIDIC, ALKALINE-BASED




SSC No.	Manuf No.	Size		Price Each
42E 0016	4291-08	1 Gallon	CLEANS & BRIGHTENS	\$ 32.49 *

EVAP FOAM NO RINSE® FIN & COIL CLEANER

AEROSOL SPRAY • CLEANS & DEODORIZES



SSC No.	Manuf No.	Size	Price Each
42E 0020	4171-75	18 Oz Aerosol	\$ 14.42 *




ICE MACHINE CLEANER

LIQUID • FOOD-GRADE, USDA-ACCEPTED
8 OUNCE BOTTLE



SSC No.	Manuf No.	Price Each
42E 0025	4207-47/IMCA-1/2PI	\$ 12.56 *



YELLOW JACKET SUPEREVAC PUMP

HIGH EFFICIENCY • VACUUM INDICATOR GAUGE • HEAVY DUTY HIGH TORQUE MOTOR • GAS BALLAST • LOW OPERATING TEMP




SSC No.	Manuf No.		Price Each
42C 1067	93560	2 Stage Vacuum Pump 6.0 CFM	\$ 708.59 *

C-3S REFRIGERATION OIL

1 GALLON • 150 SUS • NAPHTHENIC MINERAL OIL



SSC No.	Manuf No.	Price Each
42P 0070	4303-07/RO-3	\$ 44.22



VACUUM PUMP OIL

1 QUART BOTTLE



SSC No.	Manuf No.	Price Each
42P 0265	4383-24/VP0350	\$ 15.32

YELLOW JACKET SERIES 41 MANIFOLD

• EASY-TO-READ 3 1/8" COLOR CODED GAUGES • PRESTESTED • FORGED BRASS BODY WITH METAL VALVE HANDLES
• FLUTTERLESS™ GAUGE MOVEMENTS • 3 60" RYB PLUS II HOSES WITH STANDARD 1/4" FLARE FITTINGS • FOR R410A



SSC No.	Manuf No.		Price Each
42C 4020	42715	Testing & Charging Manifold WITH GAUGES & HOSES	\$ 247.51 *

YELLOW JACKET PLUS II CHARGING HOSES

• WITH DOUBLE BARRIER PROTECTION • 45° SEALRIGHT FITTING AT ONE END



SSC No.	Manuf No.	Size		Price Each
42C 4035	29985	1/4" x 60"	3 Pak YELLOW BLUE RED .5 Lbs	\$ 140.24 *

R410A REFRIGERANT

RESIDENTIAL & LIGHT COMMERCIAL USE



SSC No.	Manuf No.	Size	Price Each
42F 1965	R410A	25# Cylinder	\$ 167.99 **

R438A REFRIGERANT

(ICEON MO99) FOR HIGH, MEDIUM & LOW TEMP



SSC No.	Manuf No.	Size	Price Each
42F 1972	R438A	25# Cylinder	\$ 333.90 **

REFRIGERATION * Price Change

ELECTRONIC DIGITAL MANOMETER UEI

SINGLE INPUT • MEASURES POSITIVE & NEGATIVE PRESSURE TO 20" WATER GAUGE
3 SCALES - In-WG, mBAR & PSI • .01" RESOLUTION BELOW 9.99"

SSC No.	Manuf No.	Measurement Range	Operating Range	Price Each
42P 1155	EM152	-20" to 20" WG	32" -104° F 10 - 90% RH	\$ 156.25 *



POCKET-SIZED DIGITAL PSYCHROMETER UEI

DISPAYS 3 PARAMETERS SIMULTANEOUSLY • PROTECTIVE SENSOR CAP • 2 AAA BATTERIES & INSTRUCTION MANUAL INCLUDED
0 TO 100% RH RANGE • -69° TO 122° F WET BULB RANGE • -90.4° TO 122° F DEW POINT RANGE • 60 SECOND RESPONSE TIME

SSC No.	Manuf No.	Temperature Range	External Temperature Range	Price Each
42P 1150	DTH31	-4° to 122° F	-4° to 158° F	\$ 154.20



INFRARED THERMOMETER WITH K-TYPE INPUT UEI

8-POINT CIRCULAR LASER • LARGE HIGH-CONTRAST BACKLIT DISPLAY • 3 EMISSIVITY LEVELS: (0.30, 0.70, 0.95)
MIN/MAX/AVG/DIFF • HI/LO ALARM (USER ADJUSTABLE) • -76° to 1022° F • 12:1 DISTANCE TO SPOT RATIO

SSC No.	Manuf No.	Temperature Range	Distance To Spot Ratio	Price Each
42P 0230	INF195C	-76° to 1022° F	12:1 Distance To Spot Ratio	\$ 139.04



DIGITAL POCKET THERMOMETER UEI

FITS FLAT IN POCKET • 5³/₄" LONG • 3" STEM • RUGGEDIZED (WITHSTANDS A 10' DROP) • 3 YEAR LIMITED WARRANTY
LARGE EASY-TO-READ LCD DISPLAY • ON/OFF BUTTON & AUTO POWER OFF • DATA HOLD & CONTINUOUS UPDATE


SSC No.	Manuf No.	Temperature Range	Length	Wgt.	Price Each
42P 1175	PDT550	-40° to 300° F	5 ³ / ₄ " Long	0.2 Lbs	\$ 30.32



SAFETY+PLUS PORTABLE GAS LEAK DETECTOR BrassCraft

DETECTS NATURAL, LP, BUTANE & METHANE GASES • USES TWO AA ALKALINE BATTERIES
WITH PROTECTIVE CAP • IMBEDDED MICROPROCESSOR WITH LOW BATTERY ALERT

Manuf No.	Operating Temperature	Length	Price Each
BCGLD01X6	0° F to 110° F	11.06" Length	Call For Price



REFRIGERANT GAS LEAK DETECTOR UEI

ADVANCED IONIZATION DETECTION SENSOR • .5 OZ. PER YR R134A SENSITIVITY • CONTINUOUS DUTY CYCLE
18.5" PROBE • CONDITIONS 0 TO 80% RH (NONCONDENSING) • < 10 SEC WARM UP TIME • < 1 SEC RESPONSE TIME • 9V BATTERY
DETECTS R11, R12, R13, R22,R23, R113, R114, R134A, R500, R502, HALONS R404A, SF6 PERCHLORETHYLENE BLENDS R410A

SSC No.	Manuf No.	Operating Temperature	Warranty	Price Each
42P 1270	RLD10	32° F to 120° F	1 Year Limited Warranty	\$ 249.57



CARBON MONOXIDE DETECTOR UEI

LONG LIFE CO SENSOR • BACKLIT DISPLAY • PRESET ALARMS • 3-COLOR WARNING LIGHT • AUDIBLE ALERT
LOW BATTERY INDICATOR • ONE BUTTON AUTO ZERO • 9 VOLT BATTERY & HOLSTER INCLUDED

SSC No.	Manuf No.	Operating Temperature	Price Each
42P 0250	CO71A	32° F to 104° F	\$ 299.92




REFRIGERATION

* Price Change
** New Product

CAL-BLUE LT® LOW TEMP LEAK DETECTOR

A BLUE-COLORED MULTI-FUNCTIONAL LEAK DETECTOR • FREEZE-PROTECTION DOWN TO -20°F & UP TO 225°F
FORMULATED FOR HIGH & LOW TEMPERATURE APPLICATIONS OXYGEN SAFE • NON CORROSIVE



SSC No.	Manuf No.	Size	Price Each
42A 0200	4183-24/LDL-1Q	1 Quart Bottle With Spray	\$ 19.99 *

EXTENDED OILER

FILLED WITH ALL PURPOSE LUBE OIL WITH TELESCOPING-SPOUT



SSC No.	Manuf No.	Price Each
42P 0264	40019/co-1	4 Oz Bottle \$ 2.54 *

RED HIGH TEMP SILICONE SEALANT Bramec®


PERMANENTLY FLEXIBLE -85°F TO 500°F



SSC No.	Manuf No.	Price Each
42M 0400	18068	10.1 Fl Oz \$ 6.37 **

A/C EASYSEAL LEAK SEALER


PREVENTS REFRIGERANT LEAKS & SEALS EXISTING LEAKS IN A/C & REFRIGERATION SYSTEMS PERMANENTLY
ELIMINATES EXPENSIVE LEAK SEARCH & REPAIR • TRAVELS WITH REFRIGERANT TO FIND LEAKS FAST • REUSABLE HOSE



SSC No.	Manuf No.	Size	Price Each
42E 0010	4050-60	3 Oz Pressurized Can Treats 1.5 To 5 Tons	\$ 84.92 **

EASYSEAL DIRECT INJECT LEAK SEALER


CONCENTRATED FORMULA - LESS MATERIAL IN SYSTEM • CLEAR TUBE TO SEE THE SEALANT GO IN
NO NEED TO PUMP DOWN R-410A UNITS • NO INJECTION HOSE OR CAULK GUN NEEDED



SSC No.	Manuf No.	Price Each
42E 0015	4050-08	1 Time Use Treats 1.5 To 5 Tons \$ 83.72 **

NYLON FIN COMBS


STRAIGHTENS CONDENSER & EVAPORATOR FINS • EASY TO GRIP • COLOR-CODED FOR EASY IDENTIFICATION



SSC No.	Manuf No.	FPI	Price Each
42A 8305	19849	9 & 15 FPI	Yellow Comb \$ 3.18 *
42A 8310	19852/T417/1161145	16 & 17 FPI	Forest Green Comb 2.97 *
42A 8320	19853/T418/1161146	18 & 20 FPI	Red Comb 2.97 *

NYLON FIN TOOL SET

CONTAINS 1 EACH OF: •T408 ORANGE (8 & 10 FPI) •T409 YELLOW (9 & 15 FPI) •T411 BLUE (11 & 13 FPI)
•T412 GREEN (12 & 14 FPI) •T417 LIME (16 & 17 FPI) •T418 RED (18 & 20 FPI)



SSC No.	Manuf No.	Price Each
42A 8325	T400/1161147	Set With 6 Color Coded Fin Combs \$ 18.44

UNIVERSAL ADJUSTABLE FIN COMB

COMFORTABLE BICYCLE GRIP • METAL BRISTLES • ADJUSTABLE TENSION BAND • ADJUSTS TO ALL FIN SPACINGS



SSC No.	Manuf No.	Price Each
42A 8330	19917	Adjustable Fin Comb \$ 10.64