


TAP VALVE KIT • SOLENOID VALVE BODIES



SELF-TAPPING LEAD FREE SADDLE VALVE

SOLID NEEDLE • CONNECTS 1/4" ICE MAKERS & WATER FILTERS TO COPPER TUBING FROM 3/8" TO 1 3/8"

SSC No.	Manuf No.	Size	Wgt	Price Each
42A 7090	4415002	1/4" OD	.6 Lbs	\$ 8.30



TYPE G SOLENOID VALVE BODIES

TWO WAY TYPE NORMALLY CLOSED • FOR AIR, WATER BELOW 180° F • LIGHT OILS BELOW 300 SUS.



SSC No	Manuf No	Size	Price Each
42A 6210	GP400/70562	TYPE G VALVE BODY ONLY 1/2" IPF	\$ 257.44
42A 6310	GP600/70712	TYPE G VALVE BODY ONLY 3/4" IPF	352.76



COILS FOR TYPE G SOLENOID VALVE BODIES



SSC No	Manuf No	Voltage	Price Each
42A 5710	G23MM-24/77300	24 V	\$ 101.04
42A 5810	G23MM-120/77310	120 V	105.12
42A 5820	G23MM-120/240/77360	120 V/240 V	86.56
42A 5910	G23MM-240/77320	240 V	86.94



For More Information On These Products Or On Products Not Listed,
Call *Salina Supply Company* At (785) 823-2221

CAPACITORS • HARD START KIT • MISC

DUAL RUN CAPACITORS

SSC No	Manuf No	MFD Run	Voltage			Price Each
44D 1025	30229/4JR0540	40/5	440	ROUND	Dual Run	\$ 16.85
44D 1030	30232/4JR0545	45/5	440	ROUND	Dual Run	20.08
44D 1022	30239/4JR0560	60/5	440	ROUND	Dual Run	26.54
44D 1145	30184/4JR0530	30/5	440	OVAL	Dual Run	\$ 15.20
44D 1155	30225/4JR0535	35/5	440	ROUND	Dual Run	18.32



SINGLE RUN CAPACITORS

SSC No	Manuf No	MFD Run	Voltage			Price Each
44D 1020	30147/45050H	5	440	OVAL	Single Run	\$ 4.48
44D 1050	30149/45075H	7.5	440	OVAL	Single Run	\$ 6.77
44D 1060	30150/45100H	10	440	OVAL	Single Run	\$ 7.52
44D 1070	30202/45150R	15	440	ROUND	Single Run	7.95
44D 1076	30154/45200H	20	440	OVAL	Single Run	\$ 8.85
44D 1080	30205/45250R	25	440	ROUND	Single Run	13.24
44D 1100	30206/45300R	30	440	ROUND	Single Run	\$ 14.35
44D 1110	30156/45300H	30	440	OVAL	Single Run	11.73
44D 1120	30207/45350R	35	440	ROUND	Single Run	\$ 15.29
44D 1130	30157/45350H	35	440	OVAL	Single Run	10.64
44D 1140	30208/45400R	40	440	ROUND	Single Run	\$ 23.86



HARD START KIT #6

UP TO 500% STARTING TORQUE ON LOW VOLTAGE OR LIGHT COMPRESSORS

BRAMEC®

SSC No	Manuf No	Description	Price Each
44B 3770	19682	FOR UNITS 4000 TO 120,000 BTU; 1/2 THRU 10 HP; 115 - 288 VAC	\$ 23.44



8' REPLACEMENT POWER SUPPLY CORD

FOR DISPOSALS, APPLIANCES, POWER TOOLS & EQUIPMENT

BRAMEC®

SSC No	Manuf No	Description	Price Each
44B 3650	17629	14/3 SJTWA POWER CORD 8' LENGTH	\$ 13.13



SUPER-PAN® HORIZONTAL PLASTIC SECONDARY DRAIN PAN

BLACK IMPACT RESISTANT HIGH DENSITY POLYETHYLENE PLASTIC • ROLLED EDGES FOR DURABILITY & STRENGTH
RIBBED BOTTOMS FOR RIGIDITY • 3/4" PVC FITTINGS SUPPLIED • NO RUST - NO BREAKAGE - NO LEAKAGE

SSC No	Manuf No	Size	Price Each
46B 9135	17619	32" X 63" X 2 1/2" DEEP	\$ 82.06
46B 9140	17586	27" X 39" X 2 1/2" DEEP	37.43




BRAMEC®

FILTER DRIERS


SOLDER TYPE FILTER DRIERS

SSC No	Manuf No	Desicant Cubic In.	Conn.	Ton Cap.	Body Diameter	A	Wgt. Lbs.	Price Each
42B 2100	DRYL052S	5	1/4"	1.9	2 ³ / ₈ "	3 ³ / ₄ "	0.81 Lbs	\$ 11.76
42B 2220	DRYL083S	8	3/8"	6.6	2 ³ / ₈ "	4 ³ / ₈ "	1.00 Lbs	\$ 12.48
42B 2250	DRYL163S	16	3/8"	6.9	2 ³¹ / ₃₂ "	5 ³ / ₆₄ "	2.06 Lbs	\$ 14.56
42B 2260	DRYL164S	16	1/2"	12	2 ³¹ / ₃₂ "	5"	2.13 Lbs	24.78



SUCTION LINE FILTER DRIERS

SSC No	Model No	Volume Cubic In.	Conn. O.D.	Filter Area	A	B	Wgt. Lbs.	Price Each
42B 2863	DRYS166S	12.5	3/4"	26"	2 ³¹ / ₃₂ "	9.31"	1.79 Lbs	\$ 46.12
42B 2864	DRYS167S	12.5	7/8"	26"	2 ³¹ / ₃₂ "	9.31"	1.79 Lbs	46.12



BI-FLOW SWEAT HEAT PUMP FILTER DRIER

SSC No	Model No	Volume Cubic In.	Conn. O.D.	Diameter	Length	Wgt. Lbs.	Price Each
42B 1900	DRYB083S	8	3/8"	2.64"	5.31"	1.40 Lbs	\$ 18.54
42B 1905	DRYB163S	16	3/8"				20.48



MODEL NUMBER	PART NUMBER	FILTER AREA IN SQUARE INCHES	WATER CAPACITY IN DROPS			FLOW CAPACITY TON AT 2 PSI			OZ AT 86°F TO FILL DRIER		
			REFRIG 12	REFRIG 22	REFRIG 502	REFRIG 12	REFRIG 22	REFRIG 502	REFRIG 12	REFRIG 22	REFRIG 502
			75/125°	75/125°	75/125°						
A-16600	FL-032	11 ³ / ₄ "	57/38	34/26	38/29	2.0	2.4	1.6	3.4	3.1	3.3
A-16601	FL-033	11 ³ / ₄ "	57/38	34/26	38/29	3.6	4.3	2.9	3.4	3.1	3.3
A-16608	FL-082	25 ¹ / ₂ "	156/104	93/70	104/78	2.0	2.4	1.6	7.9	7.2	7.5
A-16609	FL-083	25 ¹ / ₂ "	156/104	93/70	104/78	4.6	5.5	3.7	7.9	7.2	7.5
A-16610	FL-084	25 ¹ / ₂ "	156/104	93/70	104/78	9.2	11.0	7.3	7.9	7.2	7.5
A-16612	FL-162	36 ¹ / ₄ "	265/177	159/120	177/133	1.8	2.1	1.4	16.8	15.3	16.0
A-16613	FL-163	36 ¹ / ₄ "	265/177	159/120	177/133	4.9	5.9	3.9	16.8	15.3	16.0
A-16614	FL-164	36 ¹ / ₄ "	265/177	159/120	177/133	9.2	11.0	7.3	16.8	15.3	16.0
A-16615	FL-165	36 ¹ / ₄ "	265/177	159/120	177/133	13.4	16.1	10.7	16.8	15.3	16.0
A-16619	FL-304	65 ¹ / ₂ "	490/328	260/220	328/245	10.0	12.0	8.0	22.2	20.1	20.9
A-16620	FL-305	65 ¹ / ₂ "	490/328	260/220	328/245	14.2	17.0	11.3	22.2	20.1	20.9
A-16624	FL-414	75"	635/425	330/280	425/318	10.5	12.6	8.4	33.2	30.2	31.3
A-16625	FL-415	75"	635/425	330/280	425/318	14.5	17.4	11.6	33.2	30.2	31.3
A-16646	SD-033	17"	100/67	66/50	67/50	1.6	1.9	1.3	5.8	5.3	5.5
A-16647	SD-032	17"	100/67	66/50	67/50	5.2	6.2	4.1	5.8	5.3	5.5
A-16653	SD-033	36 ¹ / ₄ "	265/177	159/120	177/133	5.8	6.9	4.6	16.8	15.3	16.0
A-16654	SD-032	36 ¹ / ₄ "	265/177	159/120	177/133	10.0	12.0	8.0	16.8	15.3	16.0

REFRIGERATION

4291-08 NU-BRITE® LIQUID CONDENSER COIL CLEANER

FOR OUTDOOR USE ONLY! • FOR FINNED HEAT & COOLING EQUIPMENT • NON-ACIDIC, ALKALINE-BASED

SSC No.	Manuf No.	Size	Price Each
42E 0016	4291-08	1 Gallon	\$ 34.79



4057-55 RE-NEW® FOR AIR CONDITIONING SYSTEMS


IMPROVES THE PERFORMANCE OF AIR CONDITIONING & REFRIGERATION SYSTEMS

SSC No.	Manuf No.	Size	Price Each
42E 0022	4057-55	4 Fluid Ounce Can	\$ 103.44



EVAP FOAM NO RINSE® FIN & COIL CLEANER


SSC No.	Manuf No.	Size	Price Each
42E 0020	4171-75	18 Oz Aerosol	\$ 15.70



ICE MACHINE CLEANER

LIQUID • FOOD-GRADE, USDA-ACCEPTED • 8 OUNCE

SSC No.	Manuf No.	Price Each
42E 0025	4207-47/IMCA-1/2P	\$ 12.88



93560 YELLOW JACKET SUPEREVAC PUMP

HIGH EFFICIENCY • VACUUM INDICATOR GAUGE • HEAVY DUTY HIGH TORQUE MOTOR • GAS BALLAST • LOW OPERATING TEMP


SSC No.	Manuf No.	Size	Price Each
42C 1067	93560	2 Stage Vacuum Pump	\$ 813.40



C-3S REFRIGERATION OIL

1 GALLON • 150 SUS • NAPHTHENIC MINERAL OIL

SSC No.	Manuf No.	Price Each
42P 0070	4303-07/RO-3	\$ 40.68



VACUUM PUMP OIL

1 QUART BOTTLE

SSC No.	Manuf No.	Price Each
42P 0265	4383-24/VP0350	\$ 17.81



42715 YELLOW JACKET SERIES 41 MANIFOLD

• EASY-TO-READ 3 1/8" COLOR CODED GAUGES • PRETESTED • FORGED BRASS BODY WITH METAL VALVE HANDLES
• FLUTTERLESS™ GAUGE MOVEMENTS • 3 60" RYB PLUS II HOSES WITH STANDARD 1/4" FLARE FITTINGS • FOR R410A

SSC No.	Manuf No.	Price Each
42C 4020	42715	\$ 264.84



29985 YELLOW JACKET PLUS II CHARGING HOSES

• WITH DOUBLE BARRIER PROTECTION • 45° SEALRIGHT FITTING AT ONE END

SSC No.	Manuf No.	Size	Price Each
42C 4035	29985	1/4" x 60"	\$ 179.55



R410A REFRIGERANT

RESIDENTIAL & LIGHT COMMERCIAL USE

SSC No.	Manuf No.	Size	Price Each
42F 1965	R410A	25# Cylinder	\$ 688.78



R438A REFRIGERANT

(ICEON M099) FOR HIGH, MEDIUM & LOW TEMP

SSC No.	Manuf No.	Size	Price Each
42F 1972	R438A	25# Cylinder	\$ 727.97



REFRIGERATION

DDM55 ELECTRONIC DIGITAL MANOMETER

DUAL INPUT • RESOLUTION TO 0.01" H₂O • 1/8" ID HOSES, FITTING & CASE INCLUDED • 9 V BATTERY INCLUDED • BACKLIT LCD
10 PSI MAXIMUM PRESSURE • LEFT PORT - NEGATIVE PRESSURE • RIGHT PORT - POSITIVE PRESSURE

SSC No.	Manuf No.	Measurement Range	Operating Range	Price Each
42P 1155	DDM55	± 55" H ₂ O	32°F to 122°F	\$ 231.75



DTH35 DIGITAL POCKET PSYCHROMETER

MIN/MAX DATA HOLD • FOR IN-DUCT MEASUREMENT • AUTO POWER OFF • LOW BATTERY WARNING • BACKLIGHT • MAGNETIC MOUNT
DUAL PURPOSE PROBE COVER FUNCTIONS AS AN EXTENSION FOR HARD TO REACH AREAS • 1 YEAR LIMITED WARRANTY

SSC No.	Manuf No.	Temperature Range	External Temperature Range	Price Each
42P 1150	DTH35	-4° to 122° F	-4° to 122° F	\$ 137.24



INF195C INFRARED THERMOMETER WITH K-TYPE INPUT

8-POINT CIRCULAR LASER • LARGE HIGH-CONTRAST BACKLIT DISPLAY • 3 EMISSIVITY LEVELS: (0.30, 0.70, 0.95)
MIN/MAX/AVG/DIFF • HI/LO ALARM (USER ADJUSTABLE) • -76° to 1022°F • 12:1 DISTANCE TO SPOT RATIO

SSC No.	Manuf No.	Temperature Range	Distance To Spot Ratio	Price Each
42P 0230	INF195C	-76° to 1022° F	12:1 Distance To Spot Ratio	\$ 200.23



PDT550 DIGITAL POCKET THERMOMETER

FITS FLAT IN POCKET • 5³/₄" LONG • 3" STEM • RUGGEDIZED (WITHSTANDS A 10' DROP) • 3 YEAR LIMITED WARRANTY
LARGE EASY-TO-READ LCD DISPLAY • ON/OFF BUTTON & AUTO POWER OFF • DATA HOLD & CONTINUOUS UPDATE

SSC No.	Manuf No.	Temperature Range	Wgt.	Price Each
42P 1175	PDT550	-40° to 300° F	5 ³ / ₄ " Long 0.2 Lbs	\$ 33.37



For More Information On These Products Or On Products Not Listed,
Call *Salina Supply Company* At (785) 823-2221

SAFETY + PLUS PORTABLE GAS LEAK DETECTOR

DETECTS NATURAL, LP, BUTANE & METHANE GASES • USES TWO AA ALKALINE BATTERIES
WITH PROTECTIVE CAP • IMBEDDED MICROPROCESSOR WITH LOW BATTERY ALERT



BrassCraft.

Manuf No.	Operating Temperature	Length	Price Each
BCGLD01X6	0° F to 110° F	11.06" Length	Call For Price

HLD200 REFRIGERANT LEAK DETECTOR

5 SENSITIVITY LEVELS • PUMP DRIVEN • 7 SEGMENT LED INDICATORS • REPLACEABL SENSOR TIP • 2 AA BATTERIES INCLUDED
DETECTS ALL HALOGEN REFRIGERANTS & BLENDS • AUTO ZERO WHEN POWERED ON • AUDIBLE TICK • 12" GOOSENECK

SSC No.	Manuf No.	Operating Temperature	Price Each
42P 1270	HLD200	32° F to 125° F 1 Year Warranty	\$ 210.26



CO71A CARBON MONOXIDE DETECTOR

LONG LIFE CO SENSOR • BACKLIT DISPLAY • PRESET ALARMS • 3-COLOR WARNING LIGHT • AUDIBLE ALERT
LOW BATTERY INDICATOR • ONE BUTTON AUTO ZERO • 9 VOLT BATTERY & HOLSTER INCLUDED

SSC No.	Manuf No.	Operating Temperature	Price Each
42P 0250	CO71A	32° F to 104° F 0 TO 999 PPM	\$ 325.42



REFRIGERATION

4183-24 CAL-BLUE LT® LOW TEMP LEAK DETECTOR

A BLUE-COLORED MULTI-FUNCTIONAL LEAK DETECTOR • FREEZE-PROTECTION DOWN TO -20°F & UP TO 225°F
FORMULATED FOR HIGH & LOW TEMPERATURE APPLICATIONS OXYGEN SAFE • NON CORROSIVE



SSC No.	Manuf No.	Size	Price Each
42A 0200	4183-24/LDL-1Q	1 Quart Bottle With Spray	\$ 27.37

40019 EXTENDED OILER

ALL PURPOSE OILER WITH 14" TELESCOPING SPOUT • SQUEEZE BOTTLE ACTION • CONTENTS ALWAYS VISIBLE
PERFECT ALL-PURPOSE LUBRICANT FOR GENERAL REPAIR & INDUSTRIAL USE



SSC No.	Manuf No.	Size	Price Each
42P 0264	40019/co-1	4 Oz Bottle	\$ 4.51

18068 RED HIGH TEMP SILICONE SEALANT

PERMANENTLY FLEXIBLE -85°F TO 500°F • SHORT TERM EXPOSURE TO 600°F • 100% RTV SILICONE
INSULATES THERMALLY • WATERPROOF SEAL



SSC No.	Manuf No.	Size	Price Each
42M 0400	18068	10.1 Fl Oz	\$ 7.99

4050-60 A/C EASYSEAL LEAK SEALER

PREVENTS REFRIGERANT LEAKS & SEALS EXISTING LEAKS IN A/C & REFRIGERATION SYSTEMS PERMANENTLY
ELIMINATES EXPENSIVE LEAK SEARCH & REPAIR • TRAVELS WITH REFRIGERANT TO FIND LEAKS FAST • REUSABLE HOSE



SSC No.	Manuf No.	Size	Price Each	
42E 0010	4050-06	3 Oz Pressurized Can	Treats 1.5 To 5 Tons	\$ 87.05

4050-08 EASYSEAL DIRECT INJECT LEAK SEALER

CONCENTRATED FORMULA - LESS MATERIAL IN SYSTEM • CLEAR TUBE TO SEE THE SEALANT GO IN
NO NEED TO PUMP DOWN R-410A UNITS • NO INJECTION HOSE OR CAULK GUN NEEDED



SSC No.	Manuf No.	Size	Price Each	
42E 0015	4050-08	1 Time Use	Treats 1.5 To 5 Tons	\$ 85.42

For More Information On These Products Or On Products Not Listed,
Call *Salina Supply Company* At (785) 823-2221

19917 UNIVERSAL ADJUSTABLE FIN COMB

COMFORTABLE BICYCLE GRIP • METAL BRISTLES • ADJUSTABLE TENSION BAND • ADJUSTS TO ALL FIN SPACINGS



SSC No.	Manuf No.	Size	Price Each
42A 8330	19917	Adjustable Fin Comb	\$ 10.80